

#### **CROWN CLIP Junior**

TE Internal #: 1551953-1


Board-to-Bus Bar, 2 Position, Bus Bar, Thermoplastic, Black, Box & Carton / Tray, Right Angle, Copper Alloy, CROWN CLIP Junior,

**Busbar Connectors** 

View on TE.com >




Connectors > Power Connectors > Busbar Connectors











Connector System: Board-to-Bus Bar

Number of Positions: 2

Connector & Contact Terminates To: Bus Bar Mating Conductor Thickness: 3 mm [.118 in]

Housing Material: Thermoplastic

Contact Underplating Material

### **Features**

### **Product Type Features**

| Connector & Housing Type          | Receptacle       |
|-----------------------------------|------------------|
| Connector System                  | Board-to-Bus Bar |
| Connector & Contact Terminates To | Bus Bar          |
| Configuration Features            |                  |
| Number of Positions               | 2                |
| PCB Mount Orientation             | Right Angle      |
| Mating & Unmating Configuration   | Hot Pluggable    |
| Electrical Characteristics        |                  |
| Operating Voltage                 | 48 VDC           |
| Body Features                     |                  |
| Bus Bar Contact Plating Material  | Tin              |
| Contact Features                  |                  |

Nickel



| Contact Underplating Material Thickness        | 1.27 μm[50 μin]            |
|--|----------------------------|
| Contact Mating Area Plating Material Thickness | 3 μm[118 μin]              |
| Contact Shape & Form                           | Multiple Contact Point     |
| Contact Base Material                          | Copper Alloy               |
| Contact Current Rating (Max)                   | 170 A                      |
| Contact Length                                 | 31.4 mm[1.23 in]           |
| Bus Bar Contact Style                          | Socket                     |
| Termination Features                           |                            |
| Termination Post & Tail Length                 | 5.68 mm[.224 in]           |
| Termination Method to PCB                      | Through Hole - Solder      |
| Mechanical Attachment                          |                            |
| Mating Alignment Type                          | Blindmate                  |
| Mating Alignment                               | With                       |
| Bus Bar Connector Mounting Retention           | With                       |
| Connector Mounting Type                        | Board Mount                |
| Housing Features                               |                            |
| Housing Material                               | Thermoplastic              |
| Housing Color                                  | Black                      |
| Dimensions                                     |                            |
| Product Width                                  | 12 mm[.472 in]             |
| Product Length                                 | 31.4 mm                    |
| PCB Thickness (Recommended)                    | 1.5 – 2 mm[.06 – .079 in]  |
| Connector Height                               | 28.25 mm[1.112 in]         |
| Usage Conditions                               |                            |
| Operating Temperature Range                    | -55 – 105 °C[-67 – 221 °F] |
| Operation/Application                          |                            |
| Circuit Application                            | Power                      |
| Industry Standards                             |                            |
| Compatible With Agency/Standards Products      | UL                         |
| Packaging Features                             |                            |
| Packaging Method                               | Box & Carton, Tray         |
|  |                            |



## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.  |
| Solder Process Capability                     | Wave solder capable to 240°C  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



Also in the Series | CROWN CLIP Junior





# Customers Also Bought





















## **Documents**

## **Product Drawings**

CCJ-Crown Clip Junior power connector

English

## **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1551953-1\_A.2d\_dxf.zip

English

3D PDF



3D

**Customer View Model** 

ENG\_CVM\_CVM\_1551953-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1551953-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

**Busbar Power Brochure** 

English

**Product Specifications** 

**Application Specification** 

English

**Agency Approvals** 

**UL Report** 

English