



STRATO-THERM

TE Internal #: 1577638-1

Closed Ring Tongue Terminal, 14 – 12 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Nickel Plating, STRATO-THERM

[View on TE.com >](#)

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **3260 – 8230 CMA**

Stud Size: **#6, M3.5**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#6, M3.5
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	3260 – 8230 CMA
Stud Diameter	3.68 mm [.145 in]
Tongue Thickness	.79 mm [.031 in]
Product Length	19.03 mm [.749 in]
Compatible Insulation Diameter (Max)	3.18 mm [.125 in]
Compatible Insulation Diameter Range	2.29 – 3.18 mm [.09 – .125 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------



Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Bag/Box

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 576716
SAHT PIDG PEEK STRATO 14 DIE SET



TE Part # 576783
HHHT PIDG PEEK STRATO 12 ASSY



TE Part # 576782
HHHT PIDG PEEK STRATO 14 ASSY



TE Part # 576742
SAHT PIDG PEEK STRATO 12 DIE SET

Also in the Series | **STRATO-THERM**



Crimp Wire Pins, Tabs & Ferrules(1)



Ring Terminals(85)



Splices(13)

Customers Also Bought



TE Part #1577639-1
TERMINAL RT PIDG PEEK STRATO 14-12 AWG



TE Part #1577646-1
TERMINAL RT PIDG PEEK STRATO 10 AWG




TE Part #1577623-1
TERMINAL, PEEK PIDG STRATO, 20AWG



TE Part #1577647-1
TERMINAL RT PIDG PEEK STRATO 10 AWG



TE Part #2-33466-1
SOLISTRAND RING 6 5/16



TE Part #328855
WIRE CAP, TFL .044-.051



TE Part #1577637-1
TERMINAL RT PIDG PEEK STRATO 14-12 AWG

TE Part #E70854-000
NSA937901E4

TE Part #C76404-000
NSA937901E0

TE Part #E80892-000
NSA937901E1



Documents

Product Drawings

[TERMINAL RT PIDG PEEK STRATO 14-12 AWG](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1577638-1_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1577638-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1577638-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English