

MULTI-BEAM

TE Internal #: 1600236-4

Connector Assembly, Plug, Crimp, Cable-to-Panel, Gold (Au), UL

94V-0, 26 Position, Rectangular Wire & Cable Connectors &

Housings

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors











Connector Product Type: Connector Assembly

Connector & Housing Type: Plug

Termination Method to Wire & Cable: Crimp

Connector System: Cable-to-Panel

Contact Mating Area Plating Material: Gold (Au)

Features

Product Type Features

Connector Product Type	Connector Assembly
Connector & Housing Type	Plug
Connector System	Cable-to-Panel
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Power Positions	2
Number of Signal Positions	24
Number of Positions	26
Number of Rows	4
Electrical Characteristics	
Operating Voltage	60 VAC
Body Features	

Black

Primary Product Color



Contact Features	
Contact Type	Blade, Pin
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Mating Area Plating Material	Gold (Au)
Contact Retention Within Housing	Without
Contact Current Rating (Max)	45 A
Termination Features	

Termination Features

Termination Method to Wire & Cable	Crimp	

Mechanical Attachment

Connector Mounting Type	Panel Mount

Housing Features

Housing Material	Thermoplastic
Centerline (Pitch)	2.54 mm[.1 in]

Dimensions

Row-to-Row Spacing	2.54 mm[.1 in]

Usage Conditions

O :: T : D	00 405 001 4 004 051
Operating Temperature Range	-20 - 105 °C[-4 - 221 °F]

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0

Packaging Features

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JAN 2025

(247)

Candidate List Declared Against: JAN 2025

(247)

Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Customers Also Bought









Documents

Product Drawings
PAN MT PLUG, MBXL, 1P+24S+1P

English



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1600236-4_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1600236-4_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1600236-4_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD

English

MULTI-BEAM XL Cable Plug Assemblies Datasheet 6-1773442-7

English

Product Specifications

Application Specification

English

Agency Approvals

Agency Approval Document

English