
1600636-9 <

MULTI-BEAM

TE Internal #: 1600636-9 Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 26 Position, 2.54 mm [.1 in] Centerline, 4 Row, Rectangular Wire & Cable Connectors & Housings

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: Housing Connector & Housing Type: Receptacle Termination Method to Wire & Cable: Crimp Connector System: Cable-to-Panel

Contact Retention Within Housing: Without

Features



Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Cable-to-Panel
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Power Positions	2
Number of Signal Positions	24
Number of Positions	26
Number of Rows	4
Electrical Characteristics	
Operating Voltage	60 VAC
Body Features	
Primary Product Color	Black

C For support call+1 800 522 6752

1600636-9

Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 26 Position, 2.54 mm [.1 in] Centerline, 4 Row, Rectangular Wire & Cable Connectors & Housings



Contact Features Contact Type Receptacle Contact Retention Within Housing Without **Termination Features** Termination Method to Wire & Cable Crimp **Mechanical Attachment** Panel Mount Connector Mounting Type **Housing Features** Housing Material Thermoplastic Centerline (Pitch) 2.54 mm[.1 in] Dimensions Row-to-Row Spacing 2.54 mm[.1 in] Usage Conditions Operating Temperature Range -55 – 105 °C[-67 – 221 °F] **Operation/Application**

Industry Standards	
--------------------	--

Circuit Application

Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900

Power & Signal

C For support call+1 800 522 6752

1600636-9

Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 26 Position, 2.54 mm [.1 in] Centerline, 4 Row, Rectangular Wire & Cable Connectors & Housings



ppm.

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought



1600636-9

Housing, Receptacle, Crimp, Cable-to-Panel, UL 94V-0, 26 Position, 2.54 mm [.1 in] Centerline, 4 Row, Rectangular Wire & Cable Connectors & Housings





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1600636-9_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1600636-9_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1600636-9_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD

English

Product Specifications Application Specification

English