

MULTI-BEAM

TE Internal #: 1600798-2

Housing, Receptacle, Crimp, Cable-to-Board / Cable-to-Panel, UL 94V-0, 2 Position, Rectangular Wire & Cable Connectors & Housings

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors











Connector Product Type: Housing

Connector & Housing Type: Receptacle

Termination Method to Wire & Cable: Crimp

Connector System: Cable-to-Board, Cable-to-Panel

Contact Retention Within Housing: Without

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board, Cable-to-Panel
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2	
Number of Rows	1	

Electrical Characteristics

Operating Voltage	300 VAC

Body Features

Contact Features

Contact Type Receptacle	
-------------------------	--



Contact Retention Within Housing	Without
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Thermoplastic
Centerline (Pitch)	7.62 mm[.3 in]
Usage Conditions	
Operating Temperature Range	-20 - 105 °C[-4 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0
Packaging Features	

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Customers Also Bought



TE Part #829131P051 ES2000-NO.1-C1-0-40MM



TE Part #929505-1 FF FLSTE-GEH2X2P




TE Part #1-160301-9 250 FASTON,REC.,10-12 AWG,PHBZ





TE Part #5052892055 RNF-100-1/16-0-STK



TE Part #5106773-1 Z-PACK/A VF 110P



TE Part #3-770476-1 SL156 RECPT, SNNI/PHBZ





TE Part #1-1123722-3
3.96 EP PLUG HSG 3P(NATURAL)



04/13/2025 01:49PM | Page 3



Documents

Product Drawings

STR RCPT ASSY MBXL W/KEYS 2ACP

English

CAD Files

Customer View Model

ENG_CVM_CVM_1600798-2_F1.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1600798-2_F1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1600798-2_F1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD

English

2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications

Application Specification

English