


SIAMEZE

TE Internal #: 1601056-1 Wire-to-Wire, 20 AWG Lead Wire, .5 mm² Lead Wire, .16 – 1.02 mm Magnet Wire, 34 – 18 AWG Magnet Wire, SIAMEZE, Magnet Wire Terminals

View on TE.com >

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: Wire-to-Wire

Lead Wire Size: 20 AWG

Magnet Wire Size: .16 – 1.02 mm

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire & Lead Wire	
Contact Features		
Magnet Wire Terminal Type	Wire-to-Wire	
Terminal Plating Material	Unplated	
Terminal Orientation	Straight	
Termination Features		
Termination Method to Wire & Cable	Insulation Displacement (IDC)	
Mechanical Attachment		
Mating Retention Type	Barbs	
Dimensions		
Terminal Height	3.19 mm[.125 in]	
Lead Wire Size	20 AWG	
Magnet Wire Size	.16 – 1.02 mm	
Stock Thickness (Magnet Wire Side)	.51 mm[.02 in]	
Product Length	7.62 mm[.3 in]	



1601056-1

Wire-to-Wire, 20 AWG Lead Wire, .5 mm² Lead Wire, .16 – 1.02 mm Magnet Wire, 34 – 18 AWG Magnet Wire, SIAMEZE, Magnet Wire Terminals



Usage Conditions

Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Packaging Features	
Packaging Quantity	50000
Packaging Method	Reel
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


1601056-1

Wire-to-Wire, 20 AWG Lead Wire, .5 mm² Lead Wire, .16 – 1.02 mm Magnet Wire, 34 – 18 AWG Magnet Wire, SIAMEZE, Magnet Wire Terminals





Also in the Series | SIAMEZE



Customers Also Bought







TE Part #1-350943-0	TE Part #4-1601000-1	TE Part #4-1601237-1
03P UMNL HDR ASSY R/A 94VO	031-001-000=WIRE2WIRE,STD,SMZ	WIRE2WIRE,FINE,SMZ

Documents

Product Drawings 131-119-000=WIRE2WIRE,STD,SMZ

English

131-119-000=WIRE2WIRE,STD,SMZ

English

CAD Files

Customer View Model

ENG_CVM_CVM_1601056-1_E.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1601056-1_E.3d_igs.zip

English

1601056-1

Wire-to-Wire, 20 AWG Lead Wire, .5 mm² Lead Wire, .16 – 1.02 mm Magnet Wire, 34 – 18 AWG Magnet Wire, SIAMEZE, Magnet Wire Terminals



Customer View Model

ENG_CVM_CVM_1601056-1_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\ensuremath{\mathsf{Terms}}\xspace$ and $\ensuremath{\mathsf{Conditions}}\xspace$ of use.

Datasheets & Catalog Pages 1654742_HOUSEHOLD_APPLIANCES_RAST5

English

Magnet Wire Terminals & Splices

English

1-1773702-7 _IDC_Magnet_Wire

English

Product Specifications Application Specification

English