



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Sealing Boot**

Primary Product Material: **Silicone Rubber**

Primary Product Color: **Red**

Sealable: **No**

Operating Temperature Range: **-65 – 125 °C [-85 – 257 °F]**

Features

Product Type Features

Compatible With RF Cable Type	None
Strain Relief Accessory Type	Sealing Boot
Sealable	No

Body Features

Primary Product Material	Silicone Rubber
Primary Product Color	Red

Contact Features

Compatible With Contact Size	8
------------------------------	---

Dimensions

Wire Size	8 AWG
-----------	-------

Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	




Current ECHA Candidate List: JAN 2025
(247)
Candidate List Declared Against: JAN 2024
(240)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought




TE Part #36149
PIDG R 22-16 COMM 22-18 MIL 6




TE Part #ZPF00000000099713
DMC-MD 20 N




TE Part #216787-000
SO96-3-55-22-90




TE Part #324485
SPARE WIRE CAP,RED .080-.115 INS.




TE Part #1877626-3
SEAL ASSEMBLY, SIZE 8, GPR



TE Part #445591-1
SKT ASSY, SZ 20, ARINC



TE Part #1-1616492-0
BB493C1=MOUNTING BASE ASSEMBLY



TE Part #ZPF000000000100871
054-8003-04



Documents

Product Drawings
[BOOT,SEAL,WIRE,12 POS](#)
English

CAD Files
[3D PDF](#)
3D
Customer View Model
[ENG_CVM_CVM_1604872-2_O.2d_dxf.zip](#)
English
Customer View Model
[ENG_CVM_CVM_1604872-2_O.3d_igs.zip](#)
English
Customer View Model
[ENG_CVM_CVM_1604872-2_O.3d_stp.zip](#)
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
[Quadrax Contacts, Connectors and Cables Brochure](#)
English

Product Specifications
[Application Specification](#)
English