

#### Kilovac | Kilovac LEV200

TE Internal #: 1618387-5

High Voltage Contactor, DC, 1 Form X SPST-NO-DM, 500 A

Contact Rating, 12 VDC Coil Voltage, Chassis Mount,

Environmentally Sealed, Kilovac LEV200

View on TE.com >



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: High Voltage Contactor

Current Type: DC

Contact Arrangement: 1 Form X SPST-NO-DM

Contact Current Rating: 500 A
Coil Voltage Rating: 12 VDC

## **Features**

## **Product Type Features**

Relay & Contactor Type	High Voltage Contactor
Configuration Features	
Auxiliary Switch Contact Arrangement	None
Contact Number of Poles	1
Contact Arrangement	1 Form X SPST-NO-DM
Electrical Characteristics	
Coil Resistance	11 Ω
Contact Switching Voltage (Max)	900 VDC
Contact Current Rating	500 A
Coil Voltage Rating	12 VDC
Body Features	
Enclosure Type	Environmentally Sealed

**Termination Features** 

Main Termination & Connection Type	M8 x 1.25
Coil Termination & Connection Type	10-32 UNF-2A Stud

#### Mechanical Attachment

Torque (Main)	80 – 100 in-lbs
Torque (Coil)	15 – 30 in-lbs



Product Mount Type	Chassis Mount
Dimensions	
Wire Size	22 AWG
Operation/Application	
Current Type	DC
Packaging Features	
Packaging Method	Individual

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

# Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





TE Part # 4-1618391-1 LEV100A5ANH=RELAY,SPST-NO 24VDC VMT 15



TE Part # 3-1618389-2 LEV200H4ANF=RELAY, SPST-NO

# Also in the Series | Kilovac LEV200






DC Contactors(33)





Electromechanical Relays(33)

# Customers Also Bought



TE Part #180422-2 FF 312 REC 1-2.5MM2 TPBR LP



TE Part #CAT-T4827-CH8172 Timer Connector Housing



TE Part #36807 TERMINAL, SOLIS R 6 3/8















## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1618387-5\_E.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1618387-5\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1618387-5\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

5-1773450-5\_sec7\_LEV200

English

**Agency Approvals** 

**CE Declaration of Conformity** 

English