
SQMR1010KJ <

CGS | CGS SQ TE Internal #: 1623781-9 10K ohm, Through-Hole Power Resistor, Metal Oxide / Wire Wound, 10 W, 5 %, ±300 ppm/°C, Radial-Leaded, Copper Termination, 9 x 13 x 52 mm, CGS SQ

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Vertical Mount



Resistance Value: $10K \Omega$ Resistor Type: Power Resistor Element Type: Metal Oxide, Wire Wound Power Rating: 10 WResistance Class: $1k\Omega - 1M\Omega$

All Wirewound Resistor: Vertical Mount (202)

Features

Product Type Features

Resistor Type

Element Type

Power Resistor

Metal Oxide, Wire Wound

Configuration Features

Number of Resistors	1
Electrical Characteristics	
Resistance Value	10Κ Ω
Power Rating	10 W
Resistance Class	$1k\Omega - 1M\Omega$
Passive Component Tolerance	5 %
Body Features	
Lead Type	Radial-Leaded
Termination Features	
Termination Area Base Material	Copper
Number of Terminations	2
Dimensions	
Passive Component Dimensions	9 x 13 x 52 mm

SQMR1010KJ

10K ohm, Through-Hole Power Resistor, Metal Oxide / Wire Wound, 10 W, 5 %, ±300 ppm/°C, Radial-Leaded, Copper Termination, 9 x 13 x 52 mm, CGS SQ



Usage Conditions

Operating Temperature Range

Temperature Coefficient

Packaging Features

Packaging Method

-55 – 250 °C

±300 ppm/°C

Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


SQMR1010KJ

10K ohm, Through-Hole Power Resistor, Metal Oxide / Wire Wound, 10 W, 5 %, ±300 ppm/°C, Radial-Leaded, Copper Termination, 9 x 13 x 52 mm, CGS SQ





Also in the Series | CGS SQ



Customers Also Bought



TE Part #8-2176367-2 RQ 0603 32K4 0.1% 10PPM 1K RL

TE Part #1462051-2 HF3 53 = 500HM 140MW 5V MONO TE Part #2-84953-5 1MM FPC HORZ.TOP CONT.ASSY 25P

TE Part #1050547-1 2001 5032 00



SQMR1010KJ

10K ohm, Through-Hole Power Resistor, Metal Oxide / Wire Wound, 10 W, 5 %, ±300 ppm/°C, Radial-Leaded, Copper Termination, 9 x 13 x 52 mm, CGS SQ



Documents

Product Drawings SQMR10 10K 5% (METAL FILM)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1623781-9_BB.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1623781-9_BB.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1623781-9_BB.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages 4-1773460-6_RESISTIVE_SOLUTIONS_RAIL

English

1309350_PASSIVE_COMPONENT

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English

High Power Resistors - Type SQ Series

English