UPW50B10RV ACTIVE

Neohm | Neohm UPW

TE Internal #: 1624323-4

10 ohm, Through-Hole Precision Resistor, Wire Wound, .5 W, .1 %, ±5 ppm/°C, Axial-Leaded, Copper Termination, 12.7 x 6.35 mm,

Neohm UPW

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors



Resistance Value: 10Ω

Resistor Type: Precision Resistor Element Type: Wire Wound

Power Rating: .5 W

Resistance Class: Up to $1k\Omega$

Features

Product Type Features

Product Type Features	
Resistor Type	Precision Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	400 V
Resistance Value	10 Ω
Power Rating	.5 W
Resistance Class	Up to $1k\Omega$
Passive Component Tolerance	.1 %
Body Features	
Lead Type	Axial-Leaded
Termination Features	

Termination Features

Termination Area Base Material	Copper
Number of Terminations	2
Dimensions	
Passive Component Dimensions	12.7 x 6.35 mm



Usage Conditions

Operating Temperature Range	-55 – 145 °C
Temperature Coefficient	±5 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

10 ohm, Through-Hole Precision Resistor, Wire Wound, .5 W, .1 %, ± 5 ppm/°C, Axial-Leaded, Copper Termination, 12.7 x 6.35 mm, Neohm UPW














Also in the Series | Neohm UPW




Customers Also Bought
























Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1624323-4_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1624323-4_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1624323-4_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1309350_PASSIVE_COMPONENT

English

Ultra Precision Wire-Wound Resistors - Type UPW Series - Tyco Electronics Passives

English