



Connectors > Contacts > Connector Contacts



Contact Type: **Pin**
Contact Mating Area Plating Material: **Tin (Sn)**
Wire Contact Termination Area Plating Material: **Tin**
Contact Retention Within Housing: **With**
Contact Size: **Size 16**

Features

Product Type Features

Discrete Wire Type	Stranded
--------------------	----------

Contact Features

Contact Underplating Material	Nickel
Contact Orientation	Straight
Mating Pin Diameter	1.57 mm[.062 in]
Contact Underplating Material Thickness	1.27 µm[50 µin]
Contact Mating Area Plating Material Thickness	1.02 µm[40 µin]
Wire Contact Termination Area Plating Material Finish	Bright
Wire Contact Termination Area Plating Thickness	1.02 µm[40 µin]
Contact Mating Area Plating Material Finish	Bright
Contact Type	Pin
Contact Mating Area Plating Material	Tin (Sn)
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Size	Size 16
Contact Base Material	Brass
Contact Current Rating (Max)	13 A



Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	1.1 – 1.8 mm[.043 – .07 in]
Wire Size	.2 – .5 mm²

Usage Conditions

Operating Temperature Range	-55 – 90 °C[-67 – 194 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Quantity	200
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

			
TE Part # 206708-1 CPC PLUG ASSEMBLY SIZE 13-9	TE Part # 2384426-1 SDE F TYPE III+ 0.56-0.12mm2 ASSY	TE Part # 208718-1 CMC PLUG ASSEMBLY, SZ 14-5	TE Part # 208470-1 CMC PLUG ASSEMBLY, SZ 28
			
TE Part # 211400-1 CPC PLUG ASSEMBLY SIZE 13-7	TE Part # 213848-1 CPC PLUG ASSEMBLY SIZE 23-37	TE Part # 211768-1 CPC PLUG ASSEMBLY SIZE 17-9	TE Part # 208457-1 CMC PLUG ASSEMBLY, SZ 28-24
			
TE Part # 206837-1 CPC PLUG ASSEMBLY SIZE 23-24	TE Part # 213850-1 CPC PLUG ASSEMBLY SIZE 23-37	TE Part # 206150-1 CPC PLUG ASSEMBLY SIZE 23-37	TE Part # 206429-1 CPC PLUG ASSY, 11-4, REV SEX
			
TE Part # 206044-1 CPC PLUG ASSEMBLY SIZE 17-14	TE Part # 796094-2 SLD CPC PLUG ASY, 11-4, STD SEX	TE Part # 2384426-2 SDE F TYPE III+ 0.56-0.12mm2 DIE SET	TE Part # 91505-1 CCII TYPE III+ 24-16 ASSY



TE Part # 58495-1
PRO CRIMPER ASSY MULTIMATE



TE Part # 788157-2
SLD CPC PLUG ASSY,13-9,STD SEX




TE Part # 1977884-1
SLD CPC PLUG ASSY,13-9,STD SEX, UV RESIS



TE Part # 213851-1
CPC PLUG ASSEMBLY SIZE 23-24

Also in the Series | AMP M Series



Board-to-Board Jumpers & Shunts(5)




Connector Caps & Covers(14)



Connector Hardware(47)



Connector Strain Relief(13)




PCB Headers & Receptacles(9)



Rack & Panel Connectors(1)



Rectangular Power Connectors(82)




Wire-to-Board Headers & Receptacles (1)

Customers Also Bought




TE Part #CAT-104CST-RCPHS
Receptacle Housing: 2.54mm, 1 Row, CST-100 II



TE Part #1-1623788-5
SQM5 47R 5% (WIRE)



TE Part #640454-4
04P MTA100 HDR ASSY SQ STR POL




TE Part #726387-2
250 FASTON TAB TPBR



TE Part #211399-1
CPC PLUG ASSEMBLY SIZE 13-7



TE Part #1586315-1
VAL-U-LOK SKT BR SN 24-18 LP



TE Part #1-794954-2
12P RCPT VAL-U-LOK V2



Documents

Product Drawings

PIN ASS

English

PIN ASS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_164163-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_164163-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_164163-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications

English

Signal Contacts

English

M_SERIES_PIN_AND_SOCKET_CONNECTORS

English

Product Specifications

Product Specification

English