

Crown Clip Senior


TE Internal #: 1643906-1

Bus Bar-to-Bus Bar, 1 Position, Bus Bar, Thermoplastic, Black, Box & Carton, Vertical, Beryllium Copper, Crown Clip Senior, Busbar Connectors

[View on TE.com >](#)



Connectors > Power Connectors > Busbar Connectors



Connector System: **Bus Bar-to-Bus Bar**
Number of Positions: **1**
Connector & Contact Terminates To: **Bus Bar**
Mating Conductor Thickness: **3.18 mm [.125 in]**
Housing Material: **Thermoplastic**

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Bus Bar-to-Bus Bar
Connector & Contact Terminates To	Bus Bar

Configuration Features

Number of Positions	1
PCB Mount Orientation	Vertical
Mating & Unmating Configuration	Hot Pluggable

Electrical Characteristics

Operating Voltage	48 VDC
-------------------	--------

Body Features

Bus Bar Contact Plating Material	Gold
----------------------------------	------

Contact Features

Contact Shape & Form	Multiple Contact Band/CROWN BAND
----------------------	----------------------------------



Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 µm[50 µin]
Contact Mating Area Plating Material Thickness	.76 µm
Contact Base Material	Beryllium Copper
Contact Current Rating (Max)	300 A
Contact Length	30.86 mm[1.215 in]
Bus Bar Contact Style	Socket

Termination Features

Termination Method to PCB	Through Hole - Screw
---------------------------	----------------------

Mechanical Attachment

Mating Alignment Type	Blindmate
Mating Alignment	With
Bus Bar Connector Mounting Retention	With
PCB Mount Retention Type	Mounting Ears, Mounting Hole
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Thermoplastic
Housing Color	Black

Dimensions

Product Width	25.4 mm[1 in]
Product Length	35.56 mm[1.4 in]
Connector Height	31.75 mm[1.25 in]

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Compatible With Agency/Standards Products	CSA, UL
Compatible With Approved Standards Products	CSA/C22.2 No. 182.3-M1987

Packaging Features

Packaging Method	Box & Carton
------------------	--------------

Other



Mating Conductor Thickness	3.18 mm[.125 in]
----------------------------	------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | Crown Clip Senior



Busbar Connectors(3)

Customers Also Bought




TE Part #1622996-1
CRG0603 1% 75K



TE Part #8-1879336-3
CPF 0603 1K65 1% 50PPM 1K RL




TE Part #1622954-1
CRG0603 1% 47R




TE Part #2-2176331-4
CRGP 2512 820R 1%



TE Part #1622966-1
CRG0603 1% 51R



TE Part #5-520183-2
ULTRA-FAST 250 ASY REC 22-18 AWG TPBR



TE Part #CAT-AM74-UN384H
AMP-LATCH UNIVERSAL HEADERS



TE Part #1461404-6
OJ-SH-112LM,000



TE Part #4-1617339-6
RP20899G2=ACCESSORY MOUNTING P

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1643906-1_C2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1643906-1_C2.3d_igs.zip



English

Customer View Model

[ENG_CVM_CVM_1643906-1_C2.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1643906-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1643906-1_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1643906-1_A.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[POWER_CONNECTORS_CATALOG_SEC05_BUSBAR](#)

English

Busbar Power Brochure

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL Report](#)

English