




Terminals & Splices > Spade Terminals



Spade Terminal Type: **Spade Tongue Terminal**

Wire Size: **5180 – 13100 CMA**

Stud Size: **M4.5**

Features

Product Type Features

Stud Size	M4.5
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

Electrical Characteristics

Voltage Rating	600 V
----------------	-------

Body Features

Product Weight	1.947 g
Insulation Sleeve Color	Yellow
Stripe Color	Yellow

Contact Features

Spade Terminal Type	Spade Tongue Terminal
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment



Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	5180 – 13100 CMA
Stud Diameter	4.7 mm[.185 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	31.45 mm[1.238 in]
Compatible Insulation Diameter (Max)	6.4 mm[.252 in]
Compatible Insulation Diameter Range	3.8 – 6.4 mm[.149 – .252 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

TE Part # 59824-1 TETRA-CRIMP PIDG PG FASTON 22-10 ASSY	TE Part # 59239-4 HHHT PIDG PG 12-10 ASSY	TE Part # 2217484-2 KIT, BTLI, HEAVY HEAD	TE Part # 169400 CERTI-LOK FRAME W/O DIES
TE Part # 2217484-1 KIT, BTLI, HEAVY HEAD	TE Part # 47808-6 DIES PIDG 12-10 DIE SET	TE Part # 169404 CERTI-LOK DIE	TE Part # 3-1377173-6 SMP 0-0165015-0
TE Part # 58423-1 DIE, RBY IS9252	TE Part # 58433-3 PRO CR ASSY, RBY IS9252		

Also in the Series | **PLASTI-GRIP**




Compression Connectors(3)



Crimp Wire Pins, Tabs & Ferrules(20)



Ring Terminals(310)



Spade Terminals(158)



Splices(45)

Customers Also Bought




TE Part #32588
TERMINAL,PIDG SPD 12-10 8



TE Part #3-2213767-5
AV19 SPL 3A MOVE RING LED GREEN 24V




TE Part #1-206763-1
METRIMATE PIN HEADER ASSY,24P




TE Part #9-160477-5
187 PIDG FASTON REC



TE Part #1-1879074-7
THS15 12R 5%



TE Part #1-172233-9
2P MINI UNIV FREE HANG BLACK



TE Part #2-165012-0
P.G.SPADE



TE Part #1546307-6
6P .374" DR BARRIER,W/WASHER



TE Part #325703
TERMINAL,AMPOWER 250MCM 3/8



TE Part #5-2138650-1
2POS MQS REC COD E

Documents



Product Drawings

PLASTI-GRIP, SPADE 12-10 4.5MM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_165015_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_165015_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_165015_J.3d_stp.zip

English

Customer View Model

ENG_CVM_165015_B.3d_igs.zip

English

Customer View Model

ENG_CVM_165015_B.3d_stp.zip

English

Customer View Model

ENG_CVM_165015_B.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL

English