




Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: **Screw**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-40 – 105 °C [-40 – 221 °F]**

Hardware Accessory Function: **Latching, Locking & Retention, Mounting**

Features

Product Type Features

Connector Hardware Accessory Type	Screw
Hardware Accessory Function	Latching, Locking & Retention, Mounting

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Packaging Features

Packaging Method	Tray
Packaging Quantity	80

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1648183-1
[291-10-01100=SA CONN,PIN](#)

Also in the Series | ELCON Drawer


Board-to-Board Headers & Receptacles(25)	Connector Contacts(34)	Connector Hardware(1)	Power Contacts(34)



Rectangular Connector Housings(1)



Rectangular Power Connectors(24)



Standard Rectangular Connectors(2)


Customers Also Bought




TE Part #NB09012001
ATUM-12/3-0-STK



TE Part #1766811-1
CONTACT,PIN,#0



TE Part #CTS-S22-22
CONT SOC ASSY



TE Part #2-520084-2
ULTRAFast 110 ASSY REC 22-18
TPBR LP



TE Part #205166-1
AMPLIMITE,ASY,PLUG,STD,109,3



TE Part #234063-E
STVROL BUT 500 CSI 2026 207 * AL J
2 340



TE Part #1-6609952-3
PS00XDSXB=C4527



TE Part #205165-1
RECEPT ASSY,25 POSN,AMPLIMITE



TE Part #1651815-1
705-0075-01100=SA ADAPTER,PIN



TE Part #1651813-1
705-0073-01100=SA ADAPTER,SKT

Documents

Product Drawings

902-77-02113=SCREW,SHOULDER,10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1650399-1_L.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_1650399-1_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1650399-1_L.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED](#)

English

Product Specifications

[Application Specification](#)

English