




Connectors > Contacts > Connector Contacts > D-Sub Connector Contacts: Pin, Brass, Signal, Size 20



Contact Type: **Pin**
Contact Mating Area Plating Material: **Gold (Au)**
Contact Retention Type Within Housing: **Snap-In**
Contact Size: **Size 20**
Wire Size: **28 – 24 AWG**

[All D-Sub Connector Contacts: Pin, Brass, Signal, Size 20 \(45\)](#)

Features

Contact Features

Contact Underplating Material	Nickel
Mating Pin Diameter	1 mm
PCB Contact Termination Area Plating Material	Tin
Contact Type	Pin
Contact Mating Area Plating Material	Gold (Au)
Contact Size	Size 20
Contact Base Material	Brass
Contact Current Rating (Max)	1.2 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------



Contact Retention Type Within Housing

Snap-In

Dimensions

Compatible Insulation Diameter Range	.76 – 1.02 mm[.03 – .04 in]
Wire Size	.08 – .22 mm²

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Identification Marking

Contact Color Code	Blue
--------------------	------

Packaging Features

Packaging Method	Reel
Packaging Quantity	12500

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 5-2151428-1
OCEAN-2.0-APPLICATOR-S-042F055O-RSM

TE Part # 91503-1
CCII AMPLIMITE 20 DF PIN SKT 28-20 ASSY

TE Part # 1579007-9
EXTRACTION TOOL

TE Part # 7-2151428-7
OCEAN_2.0_SPARE_PART_KIT-042F055O

TE Part # 5-2151428-2
OCEAN-2.0-APPLICATOR-S-042F055O-RSA

TE Part # 2151428-2
OCEAN-2.0-APPLICATOR-S-042F055O-RSA

TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp

TE Part # 91285-1
INSERT/EXTRACT TOOL ASSEMBLY

TE Part # 2151428-1
OCEAN-2.0-APPLICATOR-S-042F055O-RSM

Customers Also Bought

TE Part #166053-1
COSI PIN CONTACT HD20 DF; 24-20 AWG

TE Part #63643-1
MAG-MATE 187 FAST TAB 0198TPBR

TE Part #413985-1
PLUG ASSY,STR,SMB

TE Part #87922-4
16 MODIV HSG W/STR RLF DR MRKD



TE Part #166052-1
TD 20 F CRIMP SOCKET WIRE SIZE




TE Part #CSA265N00440001000
940 PLUG




TE Part #3-1437719-6
T01-0550-S05-FEMALE PLUG
CONNECTOR SOLDE



TE Part #2-1445100-2
MICRO MNL HDR ASSY S/ROW LF



TE Part #928040-4
4P TELFIX BU-GEH



TE Part #653522-1
STRIPPER BLADE

Documents

Product Drawings
HD20 PIN CONTACT

English

CAD Files
Customer View Model
ENG_CVM_CVM_166054-1_AB.2d_dxf.zip

English

3D PDF

3D

Customer View Model
ENG_CVM_CVM_166054-1_AB.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_166054-1_AB.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
AMPLIMITE Subminiature D Connectors - Subminiature D Connectors for Cable Mounting

English

Product Specifications
Application Specification

English