

TE Internal #: 1674954-1 Box-Clip PCB Spring Contact, 2 mm [.079 in] Uncompressed Height, 4.5 mm [.177 in] Length, 2 mm [.079 in] Width, 1.1 mm [.043 in] Working Range (Low)

View on TE.com >



Connectors > Contacts > PCB Spring Contacts



Spring Finger Type: Box-Clip

Scalable: No

Side Protected: No

Uncompressed Height: 2 mm [.079 in]

Product Length: 4.5 mm [.177 in]

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
Spring Finger Type	Box-Clip
Scalable	No
Configuration Features	
Number of Positions	1
Side Protected	No
Contact Features	
Contact Underplating Material	Nickel
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Gold
Contact Working Range (Low)	1.1 mm[.043 in]
Contact Working Range (High)	1.5 mm[.059 in]
Point of Contact Area Plating Material	Gold

1674954-1

Box-Clip PCB Spring Contact, 2 mm [.079 in] Uncompressed Height, 4.5 mm [.177 in] Length, 2 mm [.079 in] Width, 1.1 mm [.043 in] Working Range (Low)



Contact Current Rating (Max)	.5 A
Dimensions	
Uncompressed Height	2 mm[.079 in]
Product Length	4.5 mm[.177 in]
Product Width	2 mm[.079 in]
Usage Conditions	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Tape & Reel
Packaging Quantity	5000
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

1674954-1

Box-Clip PCB Spring Contact, 2 mm [.079 in] Uncompressed Height, 4.5 mm [.177 in] Length, 2 mm [.079 in] Width, 1.1 mm [.043 in] Working Range (Low)



Compatible Parts



Customers Also Bought



TE Part #2176245-1 TE Part #1- CRGS1206 5% 1R0 3.96EP HDI		TE Part #548403-1 BLADE TRIM DUAL

TE Part #518697-7	TE Part #518925-2
SHEAR BLADE LOWER	SHEAR BLADE, UPPER

Documents

Product Drawings SHIELD FINGER 2026 WITH TAPE

English

CAD Files 3D PDF

1674954-1

Box-Clip PCB Spring Contact, 2 mm [.079 in] Uncompressed Height, 4.5 mm [.177 in] Length, 2 mm [.079 in] Width, 1.1 mm [.043 in] Working Range (Low)



English Customer View Model ENG_CVM_1674954-1_A1.2d_dxf.zip English Customer View Model ENG_CVM_1674954-1_A1.3d_igs.zip English Customer View Model ENG_CVM_1674954-1_A1.3d_stp.zip English Juder Commer Commer Commerce Co

Japanese

Product Specification

Japanese