

RN73C2A10KBTDF

✓ ACTIVE

Holsworthy | Holsworthy RN73

TE Internal #: 1676153-2
10K ohm, Surface Mount Precision Resistor, Thin Film, 0805, .1 W, .1
%, ±10 ppm/°C, Solder, 2 Terminations, .55 mm [.022 in] Height,
Holsworthy RN73

[View on TE.com >](#)



Passive Components > Resistors > Surface Mount Resistors



Resistance Value: 10K Ω
Resistor Type: Precision Resistor
Element Type: Thin Film
Package Size Code: 0805
Power Rating: .1 W

Features

Product Type Features

Resistor Type	Precision Resistor
Element Type	Thin Film
Package Size Code	0805

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Operating Voltage	100 V
Resistance Value	10K Ω
Power Rating	.1 W
Resistance Class	1k Ω – 1M Ω
Passive Component Tolerance	.1 %

Termination Features

Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

Dimensions

Product Height	.55 mm[.022 in]
Product Length	2 mm[.079 in]



Product Width	1.25 mm[.049 in]
---------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±10 ppm/°C

Industry Standards

Moisture Sensitivity Level	1
----------------------------	---

Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

RN73C2A10KBTDF

10K ohm, Surface Mount Precision Resistor, Thin Film, 0805, .1 W, .1 %, ±10 ppm/°C, Solder, 2 Terminations, .55 mm [.022 in] Height, Holsworthy RN73




 TE Part # 1879246-8 RN 0603 5K49 0.05% 5PPM 1K RL	 TE Part # 1-1614349-0 RN 0603 10R2 0.1% 10PPM CUT LENGTH	 TE Part # 1-1614350-5 RN 0603 121R 0.1% 10PPM CUT LENGTH	 TE Part # 1-1614353-7 RN 0603 30K9 0.1% 10PPM CUT LENGTH
 TE Part # 1-1614354-7 RN 0603 54R9 0.1% 10PPM CUT LENGTH	 TE Part # 1-1614354-8 RN 0603 562R 0.1% 10PPM CUT LENGTH	 TE Part # 1-1614510-3 RN 0805 2K2 0.1% 10PPM 5K RL	 TE Part # 1-1879028-3 RN 0805 383K 0.1% 10PPM CUT LENGTH
 TE Part # 1-1879126-0 RN 0402 121R 0.1% 10PPM CUT LENGTH	 TE Part # 1-1676221-2 RN 0805 1K0 0.01% 10PPM 1K RL	 TE Part # 1-1676228-2 RN 0805 1K27 0.01% 10PPM 1K RL	 TE Part # 1-1614353-3 RN 0603 2K94 0.1% 10PPM CUT LENGTH
 TE Part # 1-1614707-6 RN 1206 16K 0.1% 10PPM CUT LENGTH	 TE Part # 1-1676971-5 RN 0805 215K 0.1% 10PPM CUT LENGTH	 TE Part # 1-1614350-1 RN 0603 11R3 0.1% 10PPM CUT LENGTH	 TE Part # 1-1879134-8 RN 0603 14K7 0.1% 10PPM 1K RL
 TE Part # 1-1879246-0 RN 0603 2K0 0.1% 5PPM 5K RL	 TE Part # 1-1879203-2 RN 1206 34K 0.05% 10PPM 5K RL	 TE Part # 1-1879126-4 RN 0402 124R 0.1% 10PPM 1K RL	 TE Part # 1-1879125-9 RN 0402 59R 0.1% 10PPM CUT LENGTH

Also in the Series | [Holsworthy RN73](#)

RN73C2A10KBTDF

10K ohm, Surface Mount Precision Resistor, Thin Film, 0805, .1 W, .1 %, ±10 ppm/°C, Solder, 2 Terminations, .55 mm [.022 in] Height, Holsworthy RN73



[Surface Mount Resistors\(3641\)](#)

Customers Also Bought

TE Part #1676174-2
[RN 0805 12K7 0.1% 10PPM 1KRL](#)

TE Part #1676253-2
[RN 0805 21K5 0.1% 10PPM 1KRL](#)

TE Part #1-1879022-9
[SMF3 1K8 5%](#)

TE Part #1676154-2
[RN 0805 110K 0.1% 10PPM 1KRL](#)

TE Part #4-2176088-1
[RP 1J 0.166W 2K15 0.1% 25PPM 1K RL](#)

TE Part #1676363-2
[RN 0805 4K99 0.1% 10PPM 1KRL](#)

TE Part #1-1825910-9
[FSM10JAH=6MM TACT SWITCH, HIGH TEMP](#)

TE Part #1676310-2
[RN 0805 34K8 0.1% 10PPM 1KRL](#)

TE Part #2-1879133-3
[RN 0603 1K47 0.1% 10PPM 1K RL](#)

TE Part #800582-SF
[FN2080-6-06](#)

Documents

Product Drawings

[RN 0805 10K 0.1% 10PPM 1KRL](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1676153-2_BC.2d_dxf.zip](#)

RN73C2A10KBTDF

10K ohm, Surface Mount Precision Resistor, Thin Film, 0805, .1 W, .1 %, ±10 ppm/°C,
Solder, 2 Terminations, .55 mm [.022 in] Height, Holsworthy RN73



English

Customer View Model

[ENG_CVM_CVM_1676153-2_BC.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1676153-2_BC.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1309350_PASSIVE_COMPONENT](#)

English

[8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS](#)

English

[High Precision Resistors \(SMD\) - Type RN73 Series - Tyco Electronics Passives](#)

English