TE Internal #: 170011-8

Closed Ring Tongue Terminal, 18 – 14 AWG, #8 / M4 Stud, 4.3 mm

[.169 in] Stud Diameter, Open Barrel, Straight, Tin Plating,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: #8, M4

## **Features**

## **Product Type Features**

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None
Mechanical Attachment	

With

Wire Insulation Support



### **Dimensions**

	.122 in
Wire Size	2050 – 5180 CMA
Stud Diameter	4.3 mm[.169 in]
Tongue Thickness	.51 mm[.02 in]
Product Length	16.76 mm[.66 in]
Barrel Inside Diameter	1.14 mm, 3.68 mm[.045 in][.144 in]
Compatible Insulation Diameter (Max)	4.29 mm[.169 in]
Compatible Insulation Diameter Range	3.1 – 4.3 mm[.122 – .169 in]

# **Usage Conditions**

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]

# Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

# **Industry Standards**

Government Qualified Terminal	No
-------------------------------	----

## **Packaging Features**

Packaging Quantity	6000
Packaging Method	Strip/Reel

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





**TPBR** 













# Customers Also Bought













TE Part #1969588-8

HSG, REC, FREE-HANGING, SINGLE ROW, EP2.5



TE Part #170002-4 SHUR PLUG 20-14 AWG 0.5 X 11.44 TPBR



TE Part #3-1123823-1

EP IP PLUG BLUE

TE Part #1376477-4

2.5MM PITCH SIGNAL MATE CONN





### **Documents**

## **Product Drawings**

RING STRIP 18-14 MM2 0.503 X 11.938 TPBR

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_170011-8\_R.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_170011-8\_R.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_170011-8\_R.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

Application Specification

English

## **Agency Approvals**

**Agency Approval Document** 

English