TE Internal #: 170313-1

Hermaphroditic Contact, Gold (Au), 30 VAC, Locking Lance Contact

Retention, 24 – 20 AWG, .2 – .5 mm<sup>2</sup> Wire, 394.71 – 986.76 CMA,

Crimp, Phosphor Bronze

View on TE.com >



#### Connectors > Contacts > Connector Contacts











Contact Type: Hermaphroditic

Contact Mating Area Plating Material: Gold (Au)

Wire Contact Termination Area Plating Material: Gold

Operating Voltage: 30 VAC

Contact Retention Within Housing: With

## **Features**

#### **Electrical Characteristics**

Insulation Resistance	5000 MΩ
Dielectric Withstanding Voltage (Max)	2000 VAC
Operating Voltage	30 VAC

### **Contact Features**

Contact Underplating Material	Nickel
Mating Tab Thickness	.65 mm[.025 in]
Mating Tab Width	3 mm[.118 in]
Contact Length	21 mm[.827 in]
Contact Type	Hermaphroditic
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Gold
Contact Retention Within Housing	With
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	7 A

#### **Termination Features**



Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable
Mechanical Attachment	
Contact Retention Type Within Housing	Locking Lance
Dimensions	
Compatible Insulation Diameter Range	1.5 – 1.95 mm[.059 – .077 in]
Wire Size	394.71 – 986.76 CMA
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
	-30 – 105 °C[-22 – 221 °F]
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F] Signal
Operating Temperature Range  Operation/Application	
Operating Temperature Range  Operation/Application  Circuit Application	

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts







# Customers Also Bought













### **Documents**

**Product Drawings** 

DRAWER CONN.CONTACT

Japanese

**CAD Files** 

3D PDF

English

**Customer View Model** 

ENG\_CVM\_170313-1\_B.2d\_dxf.zip

English



**Customer View Model** 

ENG\_CVM\_170313-1\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_170313-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

# Datasheets & Catalog Pages

POWER\_CONNECTORS\_CATALOG\_SEC02\_CABLE\_MOUNTED

English

Low Power Drawer Connectors QRG

English

**Product Specifications** 

**Crimping Drawer Connector Contacts** 

English

**Application Specification** 

English