



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**
Connector & Housing Type: **Receptacle**
Number of Positions: **1**
Terminal Orientation: **Flag**
UL Flammability Rating: **UL 94V-2**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	1
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Flag
Contact Mating Retention	Without

Mechanical Attachment

Mating Alignment	Without
------------------	---------

Housing Features

--	--



Housing Material	Soft PVC
------------------	----------

Dimensions

Product Length	18.5 mm[.728 in]
----------------	------------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-170823-1
110 FASTON SLEEVE,REC.,
TRANSPARENT,NAT

TE Part # 170891-2
250 FASTON HSG.,FLAG,REC.,
NATURAL

TE Part # 1-170823-6
250 FASTON SLEEVE,REC.,
TRANSPARENT

TE Part # 170823-3
250 FASTON SLEEVE,REC.,
TRANSPARENT

TE Part # 1-170823-3
187 FASTON SLEEVE,REC.,
TRANSPARENT,NAT

TE Part # 1-170823-4
187 FASTON SLEEVE,REC.,
TRANSPARENT,NAT

TE Part # 1-170823-5
250 FASTON SLEEVE,REC.,
TRANSPARENT

TE Part # 170823-1
110 FASTON SLEEVE,TAB,
TRANSPARENT,NAT

TE Part # 1-170823-8
250 FASTON SLEEVE,REC.,
TRANSPARENT

TE Part # 1-170823-9
250 FASTON SLEEVE,REC.,
TRANSPARENT,NAT

Also in the Series | **FASTON 250**

Compression Connectors(4)

Crimp Terminal Housings(116)

Insulation Boots & Sleeves(16)

Magnet Wire Terminals(1)

PCB Terminals(134)

Quick Disconnects(421)

Splices(4)

Customers Also Bought



TE Part #170141-2
187 FASTON, FLAG, REC., 20-16 AWG, TPBR



TE Part #179466-1
AMP POWER DBL LOCK CAP HSG 6P




TE Part #171551-1
P.G SPADE




TE Part #2232574-1
GIC 2.5 W CAP HSG 4P NATURAL



TE Part #170780-1
P.G RING UL.CSA(22-18)




TE Part #170063-2
CLUSTER PIN REC




TE Part #2311419-1
MINI IO CABLE ASSY ONE END L3000



TE Part #172025-1
MIC PLUG HSG 7 POS



TE Part #913245-1
SPRING



TE Part #2260110-6
MINI IO PIERCING CABLE ASSY L1000

Documents

Product Drawings

250 FASTON HSG., FLAG, REC., NATRUAL

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_170891-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_170891-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_170891-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



FASTON Housings

English