1718329-1 ✓ ACTIVE

AMP | LEAVYSEAL

TE Internal #: 1718329-1

Black, PBT GF, Adapter Plate, -40 – 140 °C [-40 – 284 °F],

LEAVYSEAL

View on TE.com >



Connectors > Automotive Connector > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Mounting Accessories











Primary Product Color: Black

Primary Product Material: PBT GF

Automotive Connector Accessory Type: Adapter Plate

Operating Temperature Range: -40 - 140 °C [-40 - 284 °F]

All LEAVYSEAL Mounting Accessories (8)

Features

Product Type Features

Automotive Connector Accessory Type	Adapter Plate
Configuration Features	
Number of Positions	39, 62
Body Features	
Primary Product Color	Black
Primary Product Material	PBT GF
Usage Conditions	
Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	



Packaging Method	Box
Packaging Quantity	120
Other	
Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts







Also in the Series | LEAVYSEAL



Automotive Connector Locks & Position Assurance(4)



Automotive Headers(22)



Automotive Housings(117)




Connector Caps & Covers(1)



Insertion & Extraction Tools(5)



Other Automotive Connector Accessories(15)



PCB Headers & Receptacles(22)



Wire-to-Board Headers & Receptacles (22)

Customers Also Bought



TE Part #2040594-3 SEAL CAP HSG 4P, AMPSEAL16 SEA



TE Part #2334099-1 D-SUB CRIMP FEMALE 9 POS



TE Part #2334100-1 D-SUB CRIMP MALE 9 POS





TE Part #CAT-L489-SL34
LEAVYSEAL Locking Slides



TE Part #CAT-L489-CH8172 LEAVYSEAL Connector Housings



TE Part #284259-1
BLANKING DEVICE ASS'Y X EMPTY

TE Part #1924887-2 retention clip, 8 posn pass thru

Documents

Product Drawings

ADAPTER FOR TAB HSG 39 POS,62P

English

CAD Files

3D PDF

English



Customer View Model

ENG_CVM_1718329-1_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_1718329-1_A2.3d_igs.zip

English

Customer View Model

ENG_CVM_1718329-1_A2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

LEAVYSEAL CONNECTORS

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English