

#### Standard Drawer

TE Internal #: 172063-3

Housing, Plug, Crimp, Wire-to-Board / Wire-to-Wire, UL 94V-0, 8 Position, Standard Drawer, Rectangular Wire & Cable Connectors &

Housings

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors > Standard Drawer Plug Housings



Connector Product Type: Housing
Connector & Housing Type: Plug

Mating Retention: With

Termination Method to Wire & Cable: Crimp

Connector System: Wire-to-Board, Wire-to-Wire

All Standard Drawer Plug Housings (15)

### **Features**

### **Product Type Features**

| Connector Product Type            | Housing                     |
|-----------------------------------|-----------------------------|
| Connector & Housing Type          | Plug                        |
| Connector System                  | Wire-to-Board, Wire-to-Wire |
| Sealable                          | No                          |
| Connector & Contact Terminates To | Wire & Cable                |
| Configuration Features            |                             |
| Number of Signal Positions        | 4                           |
| Number of Positions               | 8                           |
| Number of Rows                    | 2                           |
| Body Features                     |                             |
| Primary Product Color             | Blue                        |
| Contact Features                  |                             |
| Contact Base Material             | Phosphor Bronze             |
| Contact Type                      | Pin                         |
| Contact Current Rating (Max)      | 15 A                        |



| Termination Method to Wire & Cable | Crimp                     |
|------------------------------------|---------------------------|
| Mechanical Attachment              |                           |
| Panel Mount Feature                | With                      |
| Mating Retention                   | With                      |
| Connector Mounting Type            | Panel Mount               |
| Housing Features                   |                           |
| Housing Material                   | PBT GF                    |
| Centerline (Pitch)                 | 5 mm[.197 in]             |
| Dimensions                         |                           |
| Connector Width                    | 32.5 mm                   |
| Row-to-Row Spacing                 | 13.3 mm[.524 in]          |
| Connector Height                   | 26.3 mm[1.035 in]         |
| Wire Size                          | 14 – 24 AWG               |
| Connector Length                   | 51.2 mm[2.02 in]          |
| Usage Conditions                   |                           |
| Operating Temperature Range        | -20 - 120 °C[-4 - 248 °F] |
| Operation/Application              |                           |
| Circuit Application                | Power & Signal            |
| Industry Standards                 |                           |
| UL Flammability Rating             | UL 94V-0                  |
| Packaging Features                 |                           |
| Packaging Method                   | Box & Carton              |
|                                    |                           |

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>Does not contain REACH SVHC |



Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts




















## Also in the Series | Standard Drawer







# Customers Also Bought





TE Part #1-292254-4 CT RELAY HDR ASSY 14P NAT



TE Part #1-2355088-4
MICRO CT CONN MT REC
ASSEMBLY 14P






TE Part #1-292254-5 CT RELAY HDR ASSY 15P NAT



TE Part #1-2355088-5
MICRO CT CONN MT REC
ASSEMBLY 15P





TE Part #8-292112-8 MT REC ASSY (#26,28)

## **Documents**

Product Drawings

DRAWER CONN 8P MALE

Japanese

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_172063-3\_G.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_172063-3\_G.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_172063-3\_G.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages



### POWER\_CONNECTORS\_CATALOG\_SEC02\_CABLE\_MOUNTED

English

Low Power Drawer Connectors QRG

English

**Product Specifications** 

**Crimping Drawer Connector Contacts** 

English

**Application Specification** 

English

Terminating AMP MTEI Connector

English

**Application Specification** 

English

**Agency Approvals** 

UL

English