1757836-4 - ACTIVE

AMPLIMITE

TE Internal #: 1757836-4 37 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal

View on TE.com >

Connectors > D-Shaped Connectors



Number of Positions: **37** Connector & Housing Type: **Receptacle** Connector System: **Cable-to-Board** Connector Mounting Type: **Board Mount** Connector Shell Size: **4**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board



Connector Shell Size	4	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
PCB Mount Orientation	Right Angle	
Power/Signal/Coax Combination	No	
Number of Positions	37	
Body Features		
Front Shell Material	Steel	
D-Sub Connector Insert Arrangement	MS18276-1	
Rear Shell Plating Material	Zinc	
Rear Shell Material	Steel	
Front Shell Plating Material	Zinc	
Contact Features		
Contact Mating Area Plating Material	Gold (Au)	
Contact Base Material	Beryllium Copper, Brass	

1757836-4

37 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



Contact Size	Size 20	
Contact Type	Socket	
Contact Current Rating (Max)	5 A	
Contact Options	Installed	
Termination Features		
Termination Post & Tail Diameter	.76 mm[.03 in]	
Termination Method to PCB	Through Hole - Solder	
Termination Post & Tail Length	3.18 mm[.125 in]	
Mechanical Attachment		
Mounting Hole Diameter	3.05 mm[.12 in]	
Mating Alignment	Without	
Connector Mounting Type	Board Mount	
Housing Features		
Centerline (Pitch)	2.77 mm[.109 in]	
Usage Conditions		
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]	
Operation/Application		

Product Compliance for compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU Con EU ELV Directive 2000/53/EC Con China RoHS 2 Directive MIIT Order No 32, 2016 Rest EU REACH Regulation (EC) No. 1907/2006 Curri (247) CVH Con Question Curri (247) SVH Pb (0) Article 2 Do not Bornet Bornet Bornet Bornet Bornet Bornet Bornet Bornet Bornet Bornet	Signal	
Product Compliance for compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU Con EU ELV Directive 2000/53/EC Con China RoHS 2 Directive MIIT Order No 32, 2016 Rest EU REACH Regulation (EC) No. 1907/2006 Curri (247) CVH Con Question Curri (247) SVH Pb (0) Article 2 Do not Bornet Bornet Bornet Bornet Bornet Bornet Bornet Bornet Bornet Bornet		
EU RoHS Directive 2011/65/EU Con EU ELV Directive 2000/53/EC Con China RoHS 2 Directive MIIT Order No 32, 2016 Rest EU REACH Regulation (EC) No. 1907/2006 Curr (247 Can (247 Can (247 Can (247 Can (247) Can (247) Can (247) Can (247) Can (247) Can (247) Can (247) Can	Package	
EU ELV Directive 2000/53/EC Con China RoHS 2 Directive MIIT Order No 32, 2016 Rest EU REACH Regulation (EC) No. 1907/2006 Cur (247 Can (247 Can (247 Can (247 SVH Pb (Arrides Boots Arrides Arrid		
China RoHS 2 Directive MIIT Order No 32, 2016 EU REACH Regulation (EC) No. 1907/2006 (247 Can (247 SVH Pb (Article 3 Do not handlin govern	ompliant with Exemptions	
EU REACH Regulation (EC) No. 1907/2006 (247 Can (247 SVH Pb (Article 3 Do not handlin govern	Compliant with Exemptions	
(247 Can (247 SVH Pb (Article 1 Do not handlin govern	Restricted Materials Above Threshold	
Halogen Content Not	ndidate List Declared Against: JAN 202	
	ot Low Halogen - contains Br or Cl > 900	

1757836-4

37 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



ppm.

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



- Manananan Millililili			
TE Part #1218434-1 R/A RCP ASSY 9 POS SER 109	TE Part #2332816-2 RA Plug Assy Left End Multigig RT 3	TE Part #9346692002 DWP-125-1-0-STK	TE Part #354175-E MSPEED 50 F SMDTHR F4 B AB VV 137 094 *



Documents

Product Drawings AMPLIMITE, R/A RCPT ASY, 109, ZN, 4

1757836-4

37 Position D-Shaped Connector, Receptacle, Cable-to-Board, Board Mount, 4 Shell Size, 2.77 mm [.109 in] Centerline, Printed Circuit Board, Signal



English CAD Files 3D PDF 3D Customer View Model ENG_CVM_CVM_1757836-4_D.2d_dxf.zip English Customer View Model ENG_CVM_CVM_1757836-4_D.3d_igs.zip English Customer View Model ENG_CVM_CVM_1757836-4_D.3d_igs.zip English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.