# 1776296-2 ACTIVE

### Europa

TE Internal #: 1776296-2

2 Position Barrier Strip, Wire-to-Wire, 10 mm [.394 in] Centerline, 1 Row, 250 V, 22 – 10 AWG / 22 – 12 AWG, .3 – 3 mm<sup>2</sup> / .3 – 6 mm<sup>2</sup>

Wire

View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips











Number of Positions: 2

Connector System: Wire-to-Wire
Centerline (Pitch): 10 mm [ .394 in ]

Number of Rows: 1

Operating Voltage: 250 V

### **Features**

### **Product Type Features**

1 Toduct Type Features	
Block Style	None
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Levels	1
Number of Positions	2
Number of Rows	1
Electrical Characteristics	
Operating Voltage	250 V
Body Features	
Quick Connect Tab Plating Material	Tin
Primary Product Color	Natural

Right Angle

**Product Orientation** 



#### Contact Features

Contact Features	
Contact Base Material	Brass
Contact Current Rating (Max)	30 A
Mechanical Attachment	
Mounting Options	3.1mm Diameter Mounting Holes
Screw Plating Material	Zinc Chromate
Thread Size	M3
Screw Material	Steel
Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	Polyamide 6
Centerline (Pitch)	10 mm[.394 in]
Dimensions	
Product Length	16.6 mm

### **Usage Conditions**

Wire Size

Operating Temperature Range	-35 – 100 °C[-31 – 212 °F]

22 – 10 AWG, 22 – 12 AWG

### Operation/Application

Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-2

### Packaging Features

Packaging Method	Package
------------------	---------

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2022 (224)



SVHC > Threshold:

Pb (1.8% in Component)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**



## **Customers Also Bought**














TE Part #2176524-6 3503G 2B 619R 1% 1K RL





TE Part #214803-E
EPSVA KS GD-8 TL 6 3,8 SN \*
STROMVERSORG



TE Part #1571095-3
PRCSA1-20F-BB0CW,POWER ROCKER

### **Documents**

### **Product Drawings**

TSB5000231DS=EUROPA T-BLK,10MM

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1776296-2\_O1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1776296-2\_O1.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1776296-2\_O1.3d\_igs.zip

English

3D PDF

English

**Customer View Model** 

ENG\_CVM\_1776296-2\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_1776296-2\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_1776296-2\_O.3d\_stp.zip

English

2 Position Barrier Strip, Wire-to-Wire, 10 mm [.394 in] Centerline, 1 Row, 250 V, 22 - 10 AWG / 22 - 12 AWG, .3 - 3 mm<sup>2</sup> / .3 - 6 mm<sup>2</sup> Wire



By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

BUCHANAN TERMINAL BLOCKS CATALOG - EUROPA TERMINAL BLOCKS

English