




Power Double Lock

TE Internal #: 177898-2
Housing, Plug, Crimp, Wire-to-Board / Wire-to-Panel / Wire-to-Wire, UL 94V-0, Power Double Lock, Rectangular Wire & Cable Connectors & Housings

[View on TE.com >](#)

Connectors > Rectangular Connectors > Standard Rectangular Connectors > STD Temp Power Double Lock Plug



Connector Product Type: **Housing**
Connector & Housing Type: **Plug**
Termination Method to Wire & Cable: **Crimp**
Connector System: **Wire-to-Board, Wire-to-Panel, Wire-to-Wire**
Contact Retention Within Housing: **Without**

[All STD Temp Power Double Lock Plug \(66\)](#)

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
Connector Product Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board, Wire-to-Panel, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	300 VAC
-------------------	---------

Body Features

--	--



Primary Product Color	Red
-----------------------	-----

Contact Features

Contact Layout	Inline
Contact Type	Receptacle
Contact Retention Within Housing	Without

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Material	Nylon 6/6
Centerline (Pitch)	3.96 mm[.156 in]

Usage Conditions

Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Compatible With Agency/Standards Products	CNR, USR, VDE
Compatible With Approved Standards Products	CSA/C22.2 No. 182.3-M1987, UL 1977
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	500
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JAN 2025 (247)
Does not contain REACH SVHC

Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 179850-2 AMP POWER D/LOCK TAB HDR 2P V	 TE Part # 179592-1 AMP POWER D/LOCK REC CONT. L/P	 TE Part # 179463-2 DBL LOCK CAP F/H 2P RED	 TE Part # 179592-2 POWER D/LOCK REC CONT. H/P L/P
 TE Part # 179593-1 AMP POWER D/LOCK RECONT. L/P	 TE Part # CAT-P87024-R2435 Power Double Lock Receptacle	 TE Part # 179593-2 POWER D/LOCK REC CONT. H/P L/P	 TE Part # 179838-2 AMP POWER D/LOCK T/HDR ASSY 2P
 TE Part # 177906-2 POWER DBL LOCK CAP P/M 2P RED	 TE Part # 2005247-2 PDL 2P PLUG 3.96(GWT) RED		



Also in the Series | Power Double Lock

Connector Contacts(24)	Connector Hardware(14)	PCB Headers & Receptacles(43)	Power Contacts(24)
Rectangular Connector Housings(240)	Rectangular Power Connectors(283)	Standard Rectangular Connectors(240)	

Customers Also Bought

TE Part #178125-1 U/POWER PLUG HSG 2P 7.92M/M	TE Part #179975-1 250 PL EX REC. 15-10AWG PTBR	TE Part #1827386-1 GIC 3.3 PLUG HOUSING 6P	TE Part #175152-2 AMP UNIVE. POWER CONN REC CONT
TE Part #170183-2 250 FASTON,REC.,22-18 AWG,TPBR	TE Part #175032-1 PL 187 REC 26-20 AWG 0.30 X 14.0 SS	TE Part #170213-1 250 FASTON,REC.,18-14 AWG,BR	TE Part #170063-2 CLUSTER PIN REC
TE Part #2-1376388-3 5MM POWER KEY 2P PLUG HSG BLUE	TE Part #177908-1 POWER DBL LOCK CAP HSG P/M 4P		



Documents

Product Drawings

POWER DBL LOCK PLUG 2P RED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_177898-2_S.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_177898-2_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_177898-2_S.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

AMP POWER DOUBLELOCK CONNECTOR SERIES

English

Agency Approvals

UL

English