



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Primary Product Color: **White**

Connector & Contact Retention Accessory Type: **Secondary Lock**

Primary Product Material: **PBT GF30**

Operating Temperature Range: **-40 – 100 °C [-40 – 212 °F]**

Features

Product Type Features

Sealable	No
Connector & Contact Retention Accessory Type	Secondary Lock

Body Features

Primary Product Color	White
Primary Product Material	PBT GF30

Usage Conditions

Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Box
Packaging Quantity	2500

Other

Serviceable	Yes
-------------	-----



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 1801263-1
30POS MIXED MQS REC SEALED
COD A



TE Part # 1801269-2
COVER ASSY, 30 WAY HYBRID
CONNECTOR



TE Part # 1801269-1
COVER ASSY, 30 WAY HYBRID
CONNECTOR

Customers Also Bought



TE Part #1-2203769-2
Plug Ass'y, 2P Sealed, Key B, CPA



TE Part #1379118-4
6POS MQS TAB



TE Part #1452409-1
2-NDRY F.58P CONNECTOR



TE Part #2292798-3
AS16,PLUG BACKSHELL KIT,ST,03P, NC08



TE Part #1326031-8
2.8MM BLD,SEAL,18AWG,REVREEL




TE Part #2822636-1
EJ-2 DBL LOCK PLUG 4P ASSY A



TE Part #9-1452415-9
58POS CONNECTOR ASSY F. CONNECTOR154POS



TE Part #953318-1
1W HSG FOR DIESEL PLUG



TE Part #1746865-1
0.64III/2.3II 30POS PLUG ASSY



TE Part #1-2361027-1
PLUG ASSY, KEY A, CPA, HVA280-2PHI, HB

Documents

Product Drawings

SECONDARY LOCKING, 30 WAY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1801268-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1801268-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1801268-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Product Specification

English