



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Tab**
Connector & Housing Type: **Tab Housing**
Number of Positions: **2**
Terminal Orientation: **Straight**
Primary Product Color: **Black**

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Sealable	No
Connector & Housing Type	Tab Housing

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	With

Mechanical Attachment

Mating Alignment	With
------------------	------



Connector Mounting Type

Cable Mount (Free-Hanging)

Housing Features

Housing Material	Polyamide
Centerline (Pitch)	7.4 mm[.291 in]

Dimensions

Product Length	31.5 mm[1.24 in]
----------------	------------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	3000
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 170341-3 FF 250 TAB 14-12AWG PTBR WITHOUT LATCH	 TE Part # 170340-1 FF 250 TAB 20-14AWG BR WITHOUT LATCH	 TE Part # 626065-5 HOUSING 2P .110 FASTIN-ON TAB	 TE Part # 626063-1 FASTIN-ON .110 HOUSING TAB PA 6.6
 TE Part # 964473-1 FF 110 TAB HSG 10P PBT BLACK	 TE Part # 928193-1 FF 2.8MM TAB HSG 2P PBT BLACK	 TE Part # 964586-1 FF 2P HOUSING TAB POLYESTER VALOX 357	 TE Part # 170349-2 FF 250 TAB 22-20AWG TPBR WITHOUT LATCH
 TE Part # 927203-1 FF 250 TAB HSG 2P NYLON BLACK	 TE Part # 170349-1 FF 250 TAB 22-20AWG BR WITHOUT LATCH	 TE Part # 180908-3 FF 250 TAB HSG 2P NYLON BLUE	 TE Part # 626057-1 FASTIN-ON .110 HOUSING TAB NYLON 6/6
 TE Part # 170340-3 FF 250 TAB 20-14AWG PTBR WITHOUT LATCH			

Also in the Series | FASTIN-FASTON 250


 Crimp Terminal Housings(195)	 Insertion & Extraction Tools(2)	 Quick Disconnects(216)
---	---	---




Customers Also Bought



TE Part #HDP24-24-18SE
REC, 18P, BLK, E, 8/12/16, S



TE Part #2141116-1
MCON 1.2 CB TAB SWS SN




TE Part #42098-2
FF 250 TAB 18-14 AWG PTPB




TE Part #DT06-2S-CE01
PLG, 2P, GRY, E, CAP



TE Part #W2SA-P012
WEDGE LOCK, 2P, PLG, GRY, SL RET, DT, A



TE Part #62553-3
FF 250 TAB 22-18AWG TPBR




TE Part #172199-1
ECONOSEAL-J CONN CAP 2P NATURA



TE Part #2822397-3
ECONOSEAL 2,3P O RING



TE Part #926474-1
FF 250 REC HSG 2P NYLON NAT



TE Part #172200-1
ECONOSEAL-J CONN RUBBER 2P

Documents

Product Drawings

FF 250 TAB HSG 2P NYLON BLACK

English

CAD Files

Customer View Model

ENG_CVM_CVM_180908-5_AB.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_180908-5_AB.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_180908-5_AB.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

FASTIN_FASTON_Product_Line

English

White Paper: Nylon Discoloration

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English