




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Sealing Plug**

Operating Temperature Range: **-65 – 125 °C [-85 – 257 °F]**

Primary Product Color: **Blue**

Primary Product Material: **Silicone Rubber**

Operating Temperature (Max): **125 °C [257 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Sealing Plug
----------------------------	--------------

Body Features

Primary Product Color	Blue
Primary Product Material	Silicone Rubber

Contact Features

Compatible With Contact Size	8
------------------------------	---

Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Packaging Features

Packaging Method	Bag
------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)




Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought




TE Part #208262-3
5009-328-0022




TE Part #ZPF000000000017893
FAST-E 07 F-X-B 00 A




TE Part #D369-R99-NP0
369 9 WAY REC, NO CONTACTS, PIN




TE Part #ZPF000000000017894
FAST-E 07 M-X-A 00 A




TE Part #160136-001
22759/43-22-9



TE Part #1662-202-1631
CONTACT



TE Part #ZPF000000000017868
FAST-E 01 M-X-A 00 A



TE Part #1445693-3
SOCKET CONTACT,QUADRAX,SZ8,RR



Documents

Product Drawings

SEAL PLUG

English

CAD Files

Customer View Model

ENG_CVM_1811633-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_1811633-1_B.3d_stp.zip

English

Customer View Model

ENG_CVM_1811633-1_B.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Quadrax Contacts, Connectors and Cables Brochure

English

Product Specifications

Application Specification

English