TE Internal #: 1871058-1


Board-to-Board, 36 Position, 1 mm [.039 in] Centerline, Vertical, Black, 11 mm [.433 in] Height, 8.88 mm [.35 in] Width, PCI & PCI

Express Connectors

View on TE.com >





Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors











Connector System: Board-to-Board

Number of Positions: **36** PCI Generation: **2 & 3**

Centerline (Pitch): 1 mm [.039 in]

Termination Post & Tail Length: 2 mm [.079 in]

Features

Product Type Features

The dialog of particular to	
Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
Configuration Features	
Number of PCB Mount Retention Features	2
Number of Positions	36
PCB Mount Orientation	Vertical
Ejector	Without
Electrical Characteristics	
Operating Voltage	50 VAC
Body Features	
Product Weight	2.863 g
Primary Product Color	Black
Contact Features	

1.1 A

Contact Current Rating (Max)



PCB Contact Termination Area Plating Material Thickness	.5 μm
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin
PCB Contact Termination Area Plating Material Finish	Matte
	30 µin
Termination Features	
Termination Method to PCB	Through Hole - Press-Fit

Mechanical Attachment

Termination Post & Tail Length

Connector Mounting Type	Board Mount

2 mm[.079 in]

Housing Features

Housing Material	High Temperature Thermoplastic
Centerline (Pitch)	1 mm[.039 in]

Dimensions

PCB Thickness (Recommended)	1.6 mm[.063 in]
PCB Thickness (Accepted)	1.57 mm[.062 in]
Connector Length	25 mm[.984 in]
Connector Height	11 mm[.433 in]
Connector Width	8.88 mm[.35 in]

Usage Conditions

Operating Temperature Range -40 – 85 °C[-40 – 185 °F]	Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
---	-----------------------------	---------------------------

Operation/Application

Circuit Application	Signal	
---------------------	--------	--

Industry Standards

Bus Type	PCI Express
PCI Generation	2 & 3

Packaging Features

Packaging Method	Box & Tray, Tray
Packaging Quantity	56

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


















Customers Also Bought





















TE Part #1-6450841-7
MBXLE R/A HEADER 8S+2P

Documents

Product Drawings

PCI EXPRESS CONN. EON TYPE, 36P, L=2.0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1871058-1_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1871058-1_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1871058-1_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Board-to-Board, 36 Position, 1 mm [.039 in] Centerline, Vertical, Black, 11 mm [.433 in] Height, 8.88 mm [.35 in] Width, PCI & PCI Express Connectors



Product Specifications

Product Specification

Japanese

Product Specification

English