

Neohm | Neohm ROX

TE Internal #: 1879838-1

680 ohm, Through-Hole Power Resistor, Metal Oxide Film, 3 W, 5

%, ±350 ppm/°C, Axial-Leaded, Copper Termination, 20 x 5 mm,

Taped & Reeled, Neohm ROX

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors



Resistance Value: 680Ω

Resistor Type: Power Resistor Element Type: Metal Oxide Film

Power Rating: 3 W

Resistance Class: Up to $1k\Omega$

Features

Termination Area Base Material

Passive Component Dimensions

Number of Terminations

Dimensions

Product Type Features	
Resistor Type	Power Resistor
Element Type	Metal Oxide Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	350 V
Resistance Value	680 Ω
Power Rating	3 W
Resistance Class	Up to $1k\Omega$
Passive Component Tolerance	5 %
Body Features	
Lead Type	Axial-Leaded
Termination Features	

Copper

20 x 5 mm

2



Usage Conditions

Operating Temperature Range Temperature Coefficient	-55 – 235 °C ±350 ppm/°C
Packaging Features	

Taped & Reeled

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

680 ohm, Through-Hole Power Resistor, Metal Oxide Film, 3 W, 5 %, ±350 ppm/°C, Axial-Leaded, Copper Termination, 20 x 5 mm, Taped & Reeled, Neohm ROX

















Also in the Series | Neohm ROX



Customers Also Bought





Documents

Product Drawings
3W SM M/OX 5% 680R REELED

English

CAD Files

3D PDF

3D



Customer View Model

ENG_CVM_CVM_1879838-1_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1879838-1_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1879838-1_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

4-1773460-6_RESISTIVE_SOLUTIONS_RAIL

English

1309350_PASSIVE_COMPONENT

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English

Flame Proof Power Metal Oxide Film Resistors - Type ROX Series - Tyco Electronics Passives

English