

Industrial RJ45 IP20

TE Internal #: 1903526-1

Circular RJ45 Connector, Single Port, Plug, Shielded, Cat 5, 4 Position, Wire & Cable, Signal, Nylon / Polycarbonate, Gold (Au),

Industrial RJ45 IP20


View on TE.com >



Connectors > Modular Jacks & Plugs > RJ45 Connectors











Modular Jack & Plug Interface Type: Circular RJ45

Port Configuration: Single Port

Modular Jacks & Plugs Products: RJ Type Jacks & Plugs

Connector Contact Density: **Standard**Modular Connector Style: **Plug**

Features

Product Type Features

Modular Jack & Plug Interface Type	Circular RJ45
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Plug
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Port Configuration	Single Port
Connector Contact Density	Standard
Number of Positions	4
Number of Loaded Positions	4

Body Features

Shield Plating Material	Nickel
Shield Material	Copper Alloy

Contact Features

Contact Current Rating (Max)	.5 A	



Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material Thickness	1.27 μm[50 μin]
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	Nylon, Polycarbonate
Usage Conditions	
Operating Temperature Range	-40 – 70 °C[-40 – 158 °F]
Operation/Application	
Indicator Type	No Indicator
Shielded	Yes
Circuit Application	Signal
Industry Standards	
IP Rating	IP20
Performance Category	Cat 5
Packaging Features	
Packaging Quantity	1
Packaging Method	Box & Tray, Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (1% in 34748002072) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Industrial RJ45 IP20





Customers Also Bought

















TE Part #1-21002-7 SCREW,CAP,SOCKET,BUTTON HEAD

TE Part #690602-5 CAM TERM FEED

Documents

Product Drawings

IE RJ45 CONNECTOR IP20 4POS 180DEG

Japanese

CAD Files

Customer View Model

ENG_CVM_CVM_1903526-1_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1903526-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1903526-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

INDUSTRIAL_ETHERNET_PRODUCTS

English

Product Specifications

Application Specification

English

Application Specification

Japanese

Circular RJ45 Connector, Single Port, Plug, Shielded, Cat 5, 4 Position, Wire & Cable, Signal, Nylon / Polycarbonate, Gold (Au), Industrial RJ45 IP20



Agency Approvals

UL Report

English