




SIM Connectors

TE Internal #: 1932768-1
2FF mini SIM, Push-Pull Type, 6 Position, 6 Loaded Positions,
Signal, -25 – 70 °C [-13 – 158 °F], SIM Connectors, SIM Card
Connectors

[View on TE.com >](#)

Connectors > PCB Connectors > Memory Card Connectors > SIM Card Connectors



Compatible Card: **2FF mini SIM**
SIM Card Product Type: **Push-Pull Type**
Number of Positions: **6**
Number of Loaded Positions: **6**
Contact Current Rating (Max): **1.2 A**

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Card Stop	With
Compatible Card	2FF mini SIM
SIM Card Product Type	Push-Pull Type

Configuration Features

Card Detection Switch	Without
Card Insertion Style	Normal Insertion
Number of Positions	6
Number of Loaded Positions	6

Body Features

Primary Product Color	Black
Ejector Type	Push-Pull

Contact Features

Contact Base Material	Copper Alloy
-----------------------	--------------



Contact Mating Retention	Without
Contact Current Rating (Max)	1.2 A

Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

Mechanical Attachment

Connector Mounting Type	Board Mount
Mating Alignment	With

Housing Features

Housing Material	Thermoplastic
Centerline (Pitch)	2.54 mm[.1 in]

Dimensions

Profile Height from PCB	2 mm[.079 in]
-------------------------	---------------

Usage Conditions

Operating Temperature Range	-25 – 70 °C[-13 – 158 °F]
-----------------------------	---------------------------

Operation/Application

Durability Rating	5000 Cycles
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Reel, Tape & Reel
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1981959-1
PUSH PUSH SIM H1.87 SWITCH
EMBOSS ASSY

Also in the Series | SIM Connectors




SC Connectors(2)



SIM Card Connectors(9)

Customers Also Bought



TE Part #188746-1
CONTACT REC HE13 COSI GOLD PLATED




TE Part #6-1676481-0
CPF 0603 1K8 0.1% 25PPM 1K RL




TE Part #2-1676481-3
CPF 0603 43R 0.1% 25PPM 1K RL




TE Part #3-1879336-1
CPF 0603 475R 1% 50PPM 1K RL



TE Part #2311774-1
AMPL PLUG, HD22, R/A, 15P, THREADED



TE Part #2-1623788-5
SQM5 R22 5% (WIRE)



TE Part #640500-2
06P MR HDR ASSY V0



TE Part #8-1879225-6
CPF 0603 348K 0.1% 25PPM 1K RL



TE Part #6-2176092-1
RP 2A 0.25W 3K24 0.1% 25PPM 1K RL



TE Part #9-1676481-2
CPF 0603 56K 0.1% 25PPM 1K RL

Documents

Product Drawings

SUPER LOW PROFILE 1.95SIM WITH FLANGE

English

CAD Files

Customer View Model

ENG_CVM_CVM_1932768-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1932768-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1932768-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Product Specification

English

Product Specification

English