TE Internal #: 1934593-1

96 Position High Speed Backplane Connector, 4 Row, 8 Column,

PCB Mount Receptacle, Vertical, Fully Shrouded, 1.9 mm [.075 in]

Centerline

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors











Number of Positions: 96

Row-to-Row Spacing: 1.4 mm [.055 in]

Mating Alignment: With

Mating Alignment Type: Center Guide

Number of Rows: 4

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
PCB Connector Type	PCB Mount Receptacle
Shroud Style	Fully Shrouded

Configuration Features

garanen reasares	
Backplane Architecture	Mezzanine
Number of Positions	96
Number of Rows	4
Number of Columns	8
PCB Mount Orientation	Vertical
Guide Location	Center
Contact Features	
Contact Current Rating (Max)	.5 A

Mechanical Attachment



Mating Alignment	With
Mating Alignment Type	Center Guide
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	1.9 mm[.075 in]
Dimensions	
Row-to-Row Spacing	1.4 mm[.055 in]
Usage Conditions	
Operating Temperature Range	-65 – 90 °C[-85 – 194 °F]
Operation/Application	
Circuit Application	High Speed Data

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts






Customers Also Bought













Documents

Product Drawings

Tinman Vt Rcpt Assy 4pr 8col 16mm

English

CAD Files

Customer View Model

ENG_CVM_CVM_1934593-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1934593-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1934593-1_A.3d_stp.zip

96 Position High Speed Backplane Connector, 4 Row, 8 Column, PCB Mount Receptacle, Vertical, Fully Shrouded, 1.9 mm [.075 in] Centerline



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English

UL Report

English