



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Cluster Blocks



Number of Circuits: 3

Primary Product Material: PA 6

Operating Temperature Range: -20 – 120 °C [-4 – 248 °F]

Features

Configuration Features

Number of Circuits	3
--------------------	---

Body Features

Primary Product Material	PA 6
--------------------------	------

Usage Conditions

Operating Temperature Range	-20 – 120 °C[-4 – 248 °F]
-----------------------------	---------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Pin-in-Paste capable to 245°C



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1742964-1

2.29 DIA CLUSTER PIN AMPLV REC

1600-4800



TE Part # 1217264-1

RCPT 090 CLSTR PIN 22-14



TE Part # 1742981-1

2.29 DIA CLUST PIN AMPLVR REC 400-1600

Customers Also Bought




TE Part #1534073-2

MULTIFIT MK2 ASSY2P



TE Part #4-1744524-6

EP 06P HEADER ASY NO 5 PIN



TE Part #63986-1

250 FASTON TAB TPBR



TE Part #5-1534798-6

AMP DUOPLUG MK II CON. 3-20 POS. SELECTIV



TE Part #3-1534798-3

AMP DUOPLUG MK2 CONNECTOR 3P SELECTIVE



TE Part #3-1534796-4

AMP DUOPLUG MK2 CONNECTOR 4P S





TE Part #336075-3

250 FASTON,REC.,20-16 AWG,PTBR



TE Part #1744201-1

EP-II CONTACT LANCELESS, 20-16



Documents

Product Drawings

[3P CLUSTER BLOCK HOUSING](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1955415-1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1955415-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1955415-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL Report](#)

English