


### **CROWN CLIP Junior**

TE Internal #: 1982995-1 Board-to-Bus Bar, 2 Position, Bus Bar / Printed Circuit Board, Thermoplastic, Black, Box & Carton / Box & Tray, CROWN CLIP Junior, Busbar Connectors

#### View on TE.com >

Connectors > Power Connectors > Busbar Connectors



Connector System: Board-to-Bus Bar Number of Positions: 2 Connector & Contact Terminates To: Bus Bar, Printed Circuit Board Mating Conductor Thickness: 3 mm [.118 in ]

Housing Material: Thermoplastic

# Features

connectivity

### Product Type Features

Connector & Housing Type	Receptacle
Connector System	Board-to-Bus Bar
Connector & Contact Terminates To	Bus Bar, Printed Circuit Board
Configuration Features	
Number of Positions	2
PCB Mount Orientation	Right Angle
Mating & Unmating Configuration	Hot Pluggable
Electrical Characteristics	
Operating Voltage	48 VDC
Body Features	
Bus Bar Contact Plating Material	Tin
Contact Features	
Contact Shape & Form	Multiple Contact Point

Board-to-Bus Bar, 2 Position, Bus Bar / Printed Circuit Board, Thermoplastic, Black, Box & Carton / Box & Tray, CROWN CLIP Junior, Busbar Connectors



Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 μm[50 μin]
Contact Mating Area Plating Material Thickness	3 μm[118 μin]
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	170 A
Contact Length	31.4 mm[.123 in]
Bus Bar Contact Style	Socket
Termination Features	
Termination Method to PCB	Through Hole - Screw
Mechanical Attachment	
Mating Alignment Type	Blindmate
Mating Alignment	With
Bus Bar Connector Mounting Retention	With
PCB Mount Retention Type	Mounting Ears, Mounting Hole
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Thermoplastic

 •	
lousing	or
 Caonig	
0	

### Black

Dimensions	
Product Width	24 mm[.945 in]
Product Length	31.4 mm
PCB Thickness (Recommended)	1 – 5 mm[.039 – .197 in]
Connector Height	24.27 mm[.956 in]
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
Compatible With Agency/Standards Products	UL
Packaging Features	
Packaging Method	Box & Carton, Box & Tray
Other	

**C** For support call+1 800 522 6752

Board-to-Bus Bar, 2 Position, Bus Bar / Printed Circuit Board, Thermoplastic, Black, Box & Carton / Box & Tray, CROWN CLIP Junior, Busbar Connectors



Mating Conductor Thickness	3 mm[.118 in]
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series | CROWN CLIP Junior

**C** For support call+1 800 522 6752


04/13/2025 05:11PM | Page 3

Board-to-Bus Bar, 2 Position, Bus Bar / Printed Circuit Board, Thermoplastic, Black, Box & Carton / Box & Tray, CROWN CLIP Junior, Busbar Connectors





# Customers Also Bought



PLUGGABLE BUSBAR 062F2 POWER CONNECTOR DC, 7Row, Half Left End, MULTIGIG RT 2R



# Documents

Product Drawings CROWN CLIP JUNIOR SCREW-MOUNT CONN

English

### **CAD** Files

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1982995-1\_A4.2d\_dxf.zip

Board-to-Bus Bar, 2 Position, Bus Bar / Printed Circuit Board, Thermoplastic, Black, Box & Carton / Box & Tray, CROWN CLIP Junior, Busbar Connectors



English

Customer View Model ENG\_CVM\_CVM\_1982995-1\_A4.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1982995-1\_A4.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages POWER\_CONNECTORS\_CATALOG\_SEC05\_BUSBAR

English

Busbar Power Brochure

English

CROWN CLIP JUNIOR Direct Power Connection for Bus Bars Catalog 1654261-8

English

**Product Specifications** 

**Application Specification** 

English

Agency Approvals UL Report

English