




Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Component Plug**

PCB Mount Retention Type: **Plug-In**

Primary Product Color: **Dark Gray**

Product Spacing: **9.95 mm [.392 in]**

Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Conducting Accessory Type	Component Plug
---------------------------	----------------

Electrical Characteristics

Impulse Withstanding Voltage Rating (IEC)	4000 V
Voltage Rating (IEC)	250 V

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	8 g[.282 oz]
Primary Product Color	Dark Gray

Mechanical Attachment

PCB Mount Retention Type	Plug-In
--------------------------	---------

Dimensions

Product Width	9.95 mm[.392 in]
Product Depth	48.9 mm[1.925 in]
Product Height	37.85 mm[1.49 in]



Product Spacing	9.95 mm[.392 in]
-----------------	------------------

Usage Conditions

Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Industry Standards

IP Rating	IP20
-----------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>







EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 TE Part # 1SNK140000R0000 MC512	 TE Part # 1SNK705066R0000 ZK2.5-BK	 TE Part # 1SNK506213R0000 ZS4-T3-R1	 TE Part # 1SNK705062R0000 ZK2.5-RD
 TE Part # 1SNK705075R0000 ZK2.5-4P-GN	 TE Part # 1SNK505215R0000 ZS4-D-CH-DU	 TE Part # 1SNK705012R0000 ZK2.5-4P	 TE Part # 1SNK705214R0000 ZK2.5-D-CH-DU
 TE Part # 1SNK705069R0000 ZK2.5-3P-RD	 TE Part # 1SNK705080R0000 ZK2.5-4P-BK	 TE Part # 1SNK705030R0000 ZK2.5-OR	 TE Part # 1SNK705076R0000 ZK2.5-4P-RD
 TE Part # 1SNK140004R0000 MC512-YL	 TE Part # 1SNK705061R0000 ZK2.5-GN	 TE Part # 1SNK705220R0000 ZK2.5-D2-BL	 TE Part # 1SNK149999R0000 MC512PA
 TE Part # 1SNK705073R0000 ZK2.5-3P-BK	 TE Part # 1SNK705072R0000 ZK2.5-3P-WH	 TE Part # 1SNK705060R0000 ZK2.5-YL	 TE Part # 1SNK900609R0000 PROCAP5


Also in the Series | **ENTRELEC SNK**



Modular Terminal Blocks(319)



Terminal Block & Strip Conducting
Accessories(67)



Terminal Block & Strip Insulating
Accessories(31)

Customers Also Bought



TE Part #1623929-2
CFR200 5% 100R



TE Part #2071509-1
OJT-SS-124HM,00000



TE Part #1SNK506011R0000
ZS6-3S



TE Part #ER2148-000
TMS-CT-50M-3/32-OUT-0



TE Part #1SNK505912R0000
ES6-3S




TE Part #1SNK505310R0000
ZS4-S




TE Part #1SNK900002R0000
BAZ1



TE Part #1SNK506010R0000
ZS6



TE Part #142270-1
CONNECTOR SHUNT 2 P



TE Part #280372-1
6P AMPMODU II SHRD HDR, ST, TIN

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK900403R0000_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900403R0000_A2.3d_igs.zip

1SNK900403R0000

Component Plug, Dark Gray, 9.95 mm [.392 in] Spacing, -55 – 110 °C [-67 – 230 °F],
ENTRELEC SNK



English

Customer View Model

[ENG_CVM_CVM_1SNK900403R0000_A2.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PG5-R2](#)

English

[ENTRELEC Terminal Block - Master Catalog](#)

[ENTRELEC Terminal Block - Master Catalog](#)

English

[SNK SERIES TERMINAL BLOCKS](#)

English

[ENTRELEC Terminal Blocks Catalogue \(RUS\)](#)