



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories



Insulating Accessory Type: **Safety Cover**
Compatible With Block or Strip Type: **Screw Clamp Terminal Blocks**
Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Insulating Accessory Type	Safety Cover
---------------------------	--------------

Body Features

Primary Product Color	Clear
Product Weight	4.6 g[.162 oz]
Primary Product Material	Polycarbonate

Dimensions

Product Spacing	16 mm[.63 in]
Product Depth	25.1 mm[.988 in]
Product Height	54.53 mm[2.147 in]

Usage Conditions

Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Operation/Application

Compatible With Block or Strip Type	Screw Clamp Terminal Blocks
-------------------------------------	-----------------------------

Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94V-2



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: UV-329 (.5% in 30946135921) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1SNK516030R0000
ZS35-OR




TE Part # 1SNK516010R0000
ZS35



TE Part # 1SNK516020R0000
ZS35-BL


Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(319)



Terminal Block & Strip Conducting
Accessories(67)



Terminal Block & Strip Insulating
Accessories(31)

Customers Also Bought



TE Part #1-2328823-1
LUMAWISE S 80MM DIA DOME
CLEAR LOW



TE Part #1SNK505010R0000
ZS4



TE Part #2213362-2
Rcpt Assy,Dimmable Photocontrol,
150C,3/4



TE Part #1SNK522010R0000
ZS70



TE Part #1SNK506150R0000
ZS6-PE



TE Part #2213858-1
RECEPTACLE ASSEM., LUMAWISE
ENDURANCE S



TE Part #1SNK506010R0000
ZS6



TE Part #1SNK510150R0000
ZS16-PE



TE Part #1SNK505910R0000
ES4



TE Part #2213831-3
BASE ASSY, 80MM, SEALED

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK900622R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900622R0000_A.3d_igs.zip

1SNK900622R0000

Safety Cover, Used With Screw Clamp Terminal Blocks, -55 – 110 °C [-67 – 230 °F],
ENTRELEC SNK, Terminal Block & Strip Insulating Accessories



English

Customer View Model

[ENG_CVM_CVM_1SNK900622R0000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PL16](#)

English

[ENTRELEC Terminal Block - Master Catalog](#)

[ENTRELEC Terminal Block - Master Catalog](#)

English

[SNK SERIES TERMINAL BLOCKS](#)

English

[ENTRELEC Terminal Blocks Catalogue \(RUS\)](#)