### Buchanan | BUCHANAN 8 Series

TE Internal #: 2-1437657-2 2 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 11.1 mm [.438 in] Centerline, 1 Row, BUCHANAN 8 Series

### View on TE.com >

#### Connectors > Terminal Blocks & Strips > Barrier Strips



Number of Positions: 2 Barrier Strip Style: **Tri-Barrier** Bottom Termination Type: **Printed Circuit Pin** Connector System: **Wire-to-Board** Centerline (Pitch): **11.1 mm [ .438 in ]** 

## Features



## Product Type Features

Block Style	Flat Bottom
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Levels	1
Number of Positions	2
Number of Rows	1
Electrical Characteristics	
Operating Voltage	600 V
Body Features	
Primary Product Color	Black
Product Orientation	Right Angle
Barrier Strip Style	Tri-Barrier

2 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 11.1 mm [.438 in] Centerline, 1 Row, BUCHANAN 8 Series



## **Contact Features**

Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin
Contact Current Rating (Max)	30 A
Termination Features	
Bottom Termination Type	Printed Circuit Pin
Mechanical Attachment	
Top Termination Type	Wire Clamp Combo Head
Mounting Options	None
Screw Plating Material	Zinc
Screw Material	Steel
Thread Size	8-32
Screw Head Type	Wire Clamp Combo Head
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Thermoplastic

Centerline (Pitch)

11.1 mm[.438 in]

Dimensions	
Product Length	24.08 mm[.948 in]
Wire Size	18 – 10 AWG, 22 – 10 AWG
Usage Conditions	
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Package
Packaging Quantity	270

## Product Compliance

For compliance documentation, visit the product page on TE.com>

2 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 11.1 mm [.438 in] Centerline, 1 Row, BUCHANAN 8 Series



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



## Also in the Series | BUCHANAN 8 Series





Barrier Strips(61)

2 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 11.1 mm [.438 in] Centerline, 1 Row, BUCHANAN 8 Series



# Customers Also Bought





## Documents

**Product Drawings** 8PCR-02-006=#8 TRIBARRIER

English

## **CAD** Files

**Customer View Model** ENG\_CVM\_CVM\_2-1437657-2\_F1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1437657-2\_F1.2d\_dxf.zip

English

### 3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_2-1437657-2\_F1.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

2 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 11.1 mm [.438 in] Centerline, 1 Row, BUCHANAN 8 Series



Datasheets & Catalog Pages

1-1773458-2\_BARRIER\_STRIPS\_QUICK\_REFERENCE\_GUIDE

English

Agency Approvals UL

English