



TE Internal #: 2-1437712-0
6 Position Housing, Housing for Female Terminals, Wire-to-Board /
Wire-to-Wire, 5.08 mm [.2 in] Centerline, Sealable, Black, Wire &
Cable, Power
[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Housings



Number of Positions: 6
Connector & Housing Type: **Housing for Female Terminals**
Mating Pin Diameter: 1.6 mm [.063 in]
Connector System: **Wire-to-Board, Wire-to-Wire**
Centerline (Pitch): 5.08 mm [.2 in]

Features

Product Type Features

Connector Shape	Rectangular
Mixed & Hybrid Connector	No
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Wire
Sealable	Yes
Primary Locking Feature	On the Terminal
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	6
Number of Rows	2

Electrical Characteristics

Nominal Voltage Architecture	24 V
------------------------------	------

Body Features

Primary Product Color	Black
-----------------------	-------



Connector & Keying Code

Neutral

Contact Features

Contact Size	1.6mm
Contact Type	Socket
Mating Pin Diameter	1.6 mm[.063 in]
Contact Current Rating (Max)	20 A

Mechanical Attachment

Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	5.08 mm[.2 in]
--------------------	----------------

Usage Conditions

Operating Temperature (Max)	135 °C[275 °F]
Operating Temperature Range	-40 – 135 °C[-40 – 275 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Other

Connector Position Assurance Capable	No
--------------------------------------	----

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1-1437863-2

SS 6W PLUG MP1LA-1006EB

Customers Also Bought

TE Part #2326914-3

FAKRA AUT,PIN HSG,UNSLD,180DEG, COD C

TE Part #2298506-1

MATE-AX, Pin outer contact, RG 174

TE Part #154718-6

250 PL MKI REC. 18-14AWG PTPB

TE Part #284425-1

3 POS CONNECTOR FOR INJECTION

TE Part #368051-1

E-J MK-II(+) 16P CAP DBL

TE Part #2326911-2

FAKRA AUT,SOC HSG,UNSLD, 180DEG,COD B

TE Part #284972-1


52POS MQS REC

TE Part #1743550-2

GLOW PLUG 1P HSG



TE Part #1813018-6
MINI FUSE RECEPTACLE



TE Part #368085-1
090II NON SLD REC(SQ 0.3-0.5)

Documents

Product Drawings

MP1LA-1006XX=CONN. 6W FEMA BLK

English

MP1LA-1006XX=CONN. 6W FEMA BLK

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-1437712-0_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1437712-0_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1437712-0_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Instruction Sheets

1,6mm CONTACT SYSTEM MALE AND FEMALE CONNECTORS

English

Instruction Sheet (non U.S.)

English