# 2-1474644-7 - ACTIVE

TE Internal #: 2-1474644-7 Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, 25.4 mm [1 in] Length, Printed Circuit Board, Power, Wire-to-Board Jumpers & Shunts

#### View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Jumpers & Shunts



Connector System: Wire-to-Board

Number of Positions: 4

Centerline (Pitch): 2.54 mm [.1 in]

Product Length: 25.4 mm [1 in]

Connector & Contact Terminates To: Printed Circuit Board

### Features

#### Product Type Features

ennectivity

Compatible With Discrete Wire Type	Solid				
Connector System	Wire-to-Board				
Connector & Contact Terminates To	Printed Circuit Board				
Configuration Features					
Number of Conductors	4				
Number of Rows	1				
Number of Positions	4				
Electrical Characteristics					
Operating Voltage	300 VAC				
Impedance	117 Ω				
Body Features					
Jumper Insulation Material	Aramid Paper				
Contact Features					
Pin Arrangement (Right)	A				

#### 2-1474644-7

Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, 25.4 mm [1 in] Length, Printed Circuit Board, Power, Wire-to-Board Jumpers & Shunts



Pin Arrangement (Left)	A				
Contact Current Rating (Max)	3 A				
Housing Features					
Centerline (Pitch)	2.54 mm[.1 in]				
Dimensions					
Wire Size	24 AWG				
Product Length	25.4 mm[1 in]				
Usage Conditions					
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]				
Operation/Application					
Circuit Application	Power				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### 2-1474644-7

Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, 25.4 mm [1 in] Length, Printed Circuit Board, Power, Wire-to-Board Jumpers & Shunts





## Compatible Parts



# Customers Also Bought



TE Part #2016693-2 RF CA,UMCC1 TO RPSMA JACK,1.13 MM,L100MM	TE Part #640455-2 02P MTA100 HDR ASSY SQ R/A POL	TE Part #5227222-6 VERT JK W/MTG PINS, BNC PCB	TE Part #2-1879456-1 TE 2000W 47R 5% Bracket
TTE TE			ETE





#### 2-1474644-7

Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, 25.4 mm [1 in] Length, Printed Circuit Board, Power, Wire-to-Board Jumpers & Shunts



### Documents

Product Drawings FSN-21A-4

English

**Product Specifications** 

**Product Specification** 

English

Agency Approvals UL Report

English