



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **High Voltage Contactor**

Current Type: **DC**

Contact Arrangement: **1 Form X SPST-NO**

Contact Current Rating: **500 A**

Coil Voltage Rating: **9 – 36 VDC**

Features

Product Type Features

Relay & Contactor Type	High Voltage Contactor
------------------------	------------------------

Configuration Features

Relay Options	Not RF Rated, Power Switching
Contact Arrangement	1 Form X SPST-NO

Electrical Characteristics

Coil Resistance	3.14 Ω
Contact Switching Voltage (Max)	900 VDC
Contact Current Rating	500 A
Coil Voltage Rating	9 – 36 VDC
Contact Voltage Rating	12 – 900 VDC

Contact Features

Contact Material	Copper
------------------	--------

Termination Features

Main Termination & Connection Type	Stud Terminals
Coil Termination & Connection Type	Flying Leads

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
-------------------------------	----------------------------



Product Mount Type

Chassis Mount

Operation/Application

Current Type	DC
--------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1618408-2
LEV100H5CNG = CONTACTOR WITH
AUX SPST



Also in the Series

Customers Also Bought

TE Part #61316-1
FF 250 TAB 22-18AWG TPBR

TE Part #1768017-2
EB2256

TE Part #3-1393303-7
V23134B1053C642-EV-CBOX

TE Part #134021-1
TERM, PIDG, R, IR, 16, M5

TE Part #211398-3
CPC RECPT. SIZE 13-7

TE Part #32186
TERMINAL,BUDG R 16-14 6

TE Part #1-2071407-2
IHV50A5ANH

TE Part #788154-2
SLD CPC RCPT ASSY,11-4,REV SEX

TE Part #6-2176093-7
RP 2A 0.25W 51K1 0.1% 25PPM 1K RL

TE Part #1-1571987-5
A201J51ZQ0004=DBL POLE,ROCKER

Document

- CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1618396-7_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1618396-7_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1618396-7_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



[5-1773450-5_sec7_EV200A](#)

English

[KILOVAC EV200 Series Contactor](#)

English

[Agency Approvals](#)

[CE Declaration of Conformity](#)

English