




Connectors > Rectangular Connectors > Rectangular Contact Inserts



Contact Type: Pin

Number of Positions: 1

Sealable: No

Contact Current Rating (Max): 175 A

Circuit Application: Power

Features

Product Type Features

| | |
|----------|----|
| Sealable | No |
|----------|----|

Configuration Features

| | |
|---------------------|---|
| Number of Positions | 1 |
|---------------------|---|

Body Features

| | |
|--------------------------|------------------|
| Primary Product Material | Beryllium Copper |
|--------------------------|------------------|

Contact Features

| | |
|------------------------------|-------|
| Contact Type | Pin |
| Contact Current Rating (Max) | 175 A |

Usage Conditions

| | |
|-----------------------------|------------------------------|
| Operating Temperature Range | -196 – 200 °C[-321 – 392 °F] |
|-----------------------------|------------------------------|

Operation/Application

| | |
|---------------------|-------|
| Circuit Application | Power |
|---------------------|-------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | |



Current ECHA Candidate List: JAN 2025 (247)

Candidate List Declared Against: JUNE 2024 (241)

Does not contain REACH SVHC

| | |
|---------------------------|---|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2-192039-1
LA3S .248,.008, SILPL



TE Part # 2-192039-9
LAIIS 0.20mm(.008) SIL

Customers Also Bought



TE Part #330648
PIDG R 22-16 COMM 22-18 MIL 4



TE Part #ADP-BNCF-BNCF
BNC Jack to BNC Jack




TE Part #680106-000
D-609-05



TE Part #6-1618241-0
K81C335=RELAY, VACUUM, SPDT





TE Part #CAT-P592-F266
PIDG FASTON Receptacle Quick Disconnects



TE Part #5747845-4
15 MSFL RCPT RA 318 (IN,FM,BL)



TE Part #4-2176526-5
3503G 2B 147R 1% 5K RL



TE Part #6-192038-0
LA3 .280, .008, SILVER PL

Documents

Product Drawings

LA3S,.311,.008 UNPLATED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-192039-7_N.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-192039-7_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-192039-7_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED

English