TE Internal #: 2-2129345-1

TE Internal Description: DC Power Jack Conn DIP type

View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: Cable-to-Board

Number of Positions: 5

Connector & Housing Type: Jack Operating Voltage: 30 VDC PCB Mount Retention: Without

#### **Features**

#### **Product Type Features**

Connector System	Cable-to-Board
Connector & Housing Type	Jack
Connector & Contact Terminates To	Printed Circuit Board

#### **Configuration Features**

Number of Positions	5
PCB Mount Orientation	Right Angle

## **Electrical Characteristics**

Operating Voltage	30 VDC
-------------------	--------

## **Body Features**

Primary Product Color	Black
-----------------------	-------

#### **Contact Features**

PCB Contact Termination Area Plating Material	Tin
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	7 A

#### Mechanical Attachment

PCB Mount Retention	Without
Connector Mounting Type	Board Mount

#### **Housing Features**



Housing Material	Thermoplastic
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	
Packaging Method	Reel
Packaging Quantity	450

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUN 2018 (191) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Customers Also Bought






TE Part #1375799-1 ASSY, 120 POS PC104 PLUS



TE Part #1473971-2
REC ASS'Y V TYPE FOR 2.5MM PIT




TE Part #1-406507-1
IMJ,1X1,P GRD,INSLT,LED(G/Y)SN



TE Part #1747367-1
RECEPTACLE ASSEMBLY 2.5MM
PITCH BATTERY



TE Part #2227595-1 1X1 VERT ASSY, MINI SAS HD INTERNAL



TE Part #1565986-1
REC ASSY,2.5 SLIM BATTERY CONN



TE Part #5177984-6 0.8FH,P05H.5,140,08/Sn,TU



TE Part #5788336-2 STD USB TYPE B, VERTICAL, T/H, 15U" AU



TE Part #1775013-2 0.8 BTB FS RCPT G/F 24P



TE Part #1-1734261-2 1.25 WTB, HDR, SMT, RA, 12P

#### **Documents**

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-2129345-1\_D\_c-2-2129345-1-d.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-2129345-1\_D\_c-2-2129345-1-d.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-2129345-1\_D\_c-2-2129345-1-d.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## **Product Specifications**

**Product Specification** 

English

**Product Specification** 

English

DC Power Jack Conn DIP type

