



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Carrier**

Primary Product Color: **Black**

Primary Product Material: **PC + ABS**

Operating Temperature (Max): **100 °C [212 °F]**

Operating Temperature Range: **-25 – 100 °C [-13 – 212 °F]**

Features

Product Type Features

Connector Cover Type	Carrier
----------------------	---------

Body Features

Primary Product Color	Black
Primary Product Material	PC + ABS

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-25 – 100 °C[-13 – 212 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box & Tray
------------------	------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)




Candidate List Declared Against: JAN 2025
(247)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1-2324271-3
RIGHT SEGMENT LGA4189-4
SOCKETP4 FOR ODM




TE Part # 1-2324271-1
RIGHT SEGMENT LGA4189-4
SOCKETP4 FOR ODM




TE Part # 1-2332283-1
LGA4189-4 SOCKET P4 KIT FOR ODM
(30U AU)



TE Part # 1-2324271-4
LEFT SEGMENT LGA4189-4 SOCKET-
P4 FOR ODM



TE Part # 1-2332283-2
LGA4189-4 SOCKET P4 KIT FOR ODM
(15U AU)



TE Part # 1-2324271-2
LEFT SEGMENT LGA4189-4 SOCKET-
P4 FOR ODM

Customers Also Bought



TE Part #1-2333799-0
[RCPT ASSY, VERT,168 POS,SLIVER 2.0](#)

TE Part #1-2351052-2
[LGA4677 E1B ASSY](#)

TE Part #2-2330550-1
[SOCKET P4 BOLSTER PLATE ASSY, W /O COVER](#)

TE Part #2373624-4
[Rcpt Assy,Diecast Housing,PCle Gen 5](#)

TE Part #1-1513472-9
[UAM ASSEMBLY 85 MM CABLE GREY](#)

TE Part #6469077-1
[HMZD 2PAIR REC. ASSY. 50MM MOD](#)

TE Part #2372928-2
[QSFP112 Receptacle Assembly, Au, Washer](#)

TE Part #CAT-C11-H50626
[SFP+ to SFP+ I/O Cable Assembly: 30 AWG](#)

TE Part #2418000-1
[MBTP PLUG TO MBXLE STR C/A](#)

Documents

Product Drawings

[ICX POINT PHM ASSY, P4](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2-2330552-2_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-2330552-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-2330552-2_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



LGA 4189 Socket and Hardware

English

1-1773982-5-lga_4189_flyer_cn

English

Product Specifications

Application Specification

English