PIDG

TE Internal #: 2-31895-1


Closed Ring Tongue Terminal, 22 AWG, 5/16 / M8 Stud, 7.92 mm [. 312 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially

Insulated

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **509 – 3260 CMA**

Stud Size: **5/16, M8**

All PIDG Ring Tongue Terminals (410)

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	5/16, M8
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Product Weight	1.087 g
Insulation Sleeve Color	Red
Stripe Color	Red



Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	509 – 3260 CMA
Stud Diameter	7.92 mm[.312 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	27.38 mm[1.078 in]
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]
	0.77 0.57 5.405 4.4.1
Compatible Insulation Diameter Range	2.67 – 3.56 mm[.105 – .14 in]
Compatible Insulation Diameter Range Usage Conditions	2.6/ – 3.56 mm[.105 – .14 in]
	2.67 – 3.56 mm[.105 – .14 in] Partially Insulated
Usage Conditions	
Usage Conditions Insulation Option	
Usage Conditions Insulation Option Operation/Application	Partially Insulated
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material	Partially Insulated Copper
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material Compatible With Wire Plating Material	Partially Insulated Copper
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards	Partially Insulated Copper Tin
Usage Conditions Insulation Option Operation/Application Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards Government Qualified Terminal	Partially Insulated Copper Tin

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Also in the Series | PIDG



Compression Connectors(17)



Crimp Wire Pins, Tabs & Ferrules(41)




Hand Crimping Tools(2)







Ring Terminals(588)



Spade Terminals(228)



Special Purpose Terminals(1)



Splices(41)

Customers Also Bought



TE Part #DT06-08SA-EP07 PLG, 8P, BLK, N, SEAL RET, A



TE Part #41532 250 FASTON FLAG REC 18-12 AWG TPBR



TE Part #EK5194-000 ES2000-NO.6-H2-0-39MM



TE Part #40723 RING 138(3.50 MM) TERMINAL18-14 AWG TPBR



TE Part #63137-1
250 FASOTN FLAG REC 20-16 AWG




TE Part #63971-1 250 FASTON TAB TPBR



TE Part #325069 TERMINAL,SOLIS FLAG R 16-14 8



Pt1000, 2.0x2.3, Class C, PTFC102C1A0



Documents

Product Drawings

PIDG 22-16 22-18MIL R5/16;TAPE

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-31895-1_W.2d_dxf.zip

English

3D PDF



3D

Customer View Model

ENG_CVM_CVM_2-31895-1_W.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-31895-1_W.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English