
2-320561-3 - ACTIVE

PIDG

TE Internal #: 2-320561-3 Closed Ring Tongue Terminal, 16 AWG, #6 / M3.5 Stud, 3.68 mm [. 145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG

View on TE.com >





Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2800 CMA

Stud Size: #6, M3.5

Stud Diameter: 3.68 mm [.145 in]

All PIDG Ring Tongue Terminals (410)



Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal					
Stud Size	#6, M3.5					
Sealable	No					
Wire Insulation Support Retention Type	Insulation Restriction					
Configuration Features						
Number of Holes	1					
Electrical Characteristics						
Voltage Rating	300 V					
Body Features						
Product Weight	.87 g					
Stripe Color	Blue					
Contact Features						
Military Part Class	Class I					

Closed Ring Tongue Terminal, 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Barrel Type	Closed				
Terminal Orientation	Straight				
Terminal Plating Material	Tin				
Mechanical Attachment					
Wire Insulation Support	With				
Dimensions					
Wire Size	2800 CMA				
Stud Diameter	3.68 mm[.145 in]				
Tongue Thickness	.79 mm[.031 in]				
Product Length	19.43 mm[.765 in]				
Compatible Insulation Diameter (Max)	3.3 mm[.13 in]				
Compatible Insulation Diameter Range	1.6 – 3.3 mm[.063 – .13 in]				
Usage Conditions					
Insulation Option	Partially Insulated				
Operation/Application					
Compatible With Wire Base Material	Copper				
Compatible With Wire Plating Material	Tin				

Industry Standards

Government Qualified Terminal	Yes				
Packaging Features					
Packaging Quantity	500				
Packaging Method	Loose Piece				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC				

Closed Ring Tongue Terminal, 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.


Solder Process Capability


Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Closed Ring Tongue Terminal, 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG




TE Part # 2063030-1 SDE DIESET, RBY, UL

Also in the Series | PIDG



Ring Terminals(588)	Spade Terminals(228)	Special Purpose Terminals(1)	Splices(41)

Customers Also Bought



Documents

Product Drawings TERMINAL, PIDG R IR 16 6

English

CAD Files

3D PDF

3D

Closed Ring Tongue Terminal, 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Customer View Model

ENG_CVM_CVM_2-320561-3_AA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-320561-3_AA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-320561-3_AA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals CSA Certificate

English

CSA Certificate

English