

PIDG


TE Internal #: 2-32446-1

Tin, Wire Insulation Support, 22 – 16 AWG, .26 – 1.65 mm² Wire, .51

- 3.26 kcmil, Loose Piece, Partially Insulated, Knife Disconnects

View on TE.com >

Terminals & Splices > Knife Disconnects > PIDG Knife Disconnect Splices



Body Plating Material: Tin

Wire Insulation Support: With

Compatible Insulation Diameter (Max): 3.56 mm [.14 in]

Wire Size: .26 – 1.65 mm²

All PIDG Knife Disconnect Splices (9)

Features



Body Features

Insulation Material	Nylon				
Body Plating Material	Tin				
Mechanical Attachment					
Wire Insulation Support	With				
Dimensions					
Compatible Insulation Diameter Range	2.67 – 3.56 mm[.105 – .14 in]				
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]				
Wire Size	.51 – 3.26 kcmil				
Usage Conditions					
Operating Temperature (Max)	105 °C[221 °F]				
Insulation Option	Partially Insulated				
Packaging Features					
Packaging Quantity	5000				

2-32446-1

Tin, Wire Insulation Support, 22 – 16 AWG, .26 – 1.65 mm² Wire, .51 – 3.26 kcmil, Loose Piece, Partially Insulated, Knife Disconnects



Packaging Method	Loose Piece
Other	
Barrel Color	Red
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | PIDG

& For support call+1 800 522 6752

2-32446-1

Tin, Wire Insulation Support, 22 – 16 AWG, .26 – 1.65 mm² Wire, .51 – 3.26 kcmil, Loose Piece, Partially Insulated, Knife Disconnects





Customers Also Bought



TE Part #2-324485-1 WIRE CAP RED .080115	TE Part #CAT-P592-B98 PIDG Butt Splices	TE Part #8-32448-1 KNIFE DISCONNECT,PIDG 16-14	TE Part #32447 KNIFE DISCONNECT,PIDG 16-14
	0		
TE Part #324112 TERMINAL,T-N R 2 5/16	TE Part #CAT-P592-R472A PIDG Ring Tongue Terminals		

Documents

Product Drawings KNIFE DISCONNECT PIDG 22-16

English

CAD Files

Customer View Model ENG_CVM_CVM_2-32446-1_Y.2d_dxf.zip

English

2-32446-1

Tin, Wire Insulation Support, 22 – 16 AWG, .26 – 1.65 mm² Wire, .51 – 3.26 kcmil, Loose Piece, Partially Insulated, Knife Disconnects



3D PDF

3D

Customer View Model ENG_CVM_CVM_2-32446-1_Y.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-32446-1_Y.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Instruction Sheets Instruction Sheet (U.S.)

English