


#### **PLASTI-GRIP**

TE Internal #: 2-342144-1 Closed Ring Tongue Terminal, 16 – 14 AWG, M5 Stud, 5.3 mm [.207 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PLASTI-GRIP

#### View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **1 – 2.5 mm<sup>2</sup>** 

Stud Size: M5

Stud Diameter: 5.3 mm [.207 in ]

## Features

### **Product Type Features**



Terminal Features	Sheared
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M5
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	600 V
Body Features	
Product Weight	.979 g
Insulation Sleeve Color	Blue
Stripe Color	Blue
Contact Features	
Barrel Type	Closed

Closed Ring Tongue Terminal, 16 – 14 AWG, M5 Stud, 5.3 mm [.207 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PLASTI-GRIP



Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	1 – 2.5 mm²
Stud Diameter	5.3 mm[.207 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	22.4 mm[.882 in]
Compatible Insulation Diameter (Max)	4.9 mm[.193 in]
Compatible Insulation Diameter Range	3 – 4.9 mm[.118 – .193 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	

Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	5000
Packaging Method	Tape Mounted
Product Compliance	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

**C** For support call+1 800 522 6752

Closed Ring Tongue Terminal, 16 – 14 AWG, M5 Stud, 5.3 mm [.207 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PLASTI-GRIP




Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**







## Also in the Series | PLASTI-GRIP





Closed Ring Tongue Terminal, 16 – 14 AWG, M5 Stud, 5.3 mm [.207 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PLASTI-GRIP





# Customers Also Bought





TE Part #282366-1 070 MULTILOCK PLUG HSG. 8 POS

## Documents

Product Drawings TAPE MOUNTED 16-14 F.E. PLASTI

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2-342144-1\_N.2d\_dxf.zip

Closed Ring Tongue Terminal, 16 – 14 AWG, M5 Stud, 5.3 mm [.207 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PLASTI-GRIP



English Customer View Model ENG\_CVM\_CVM\_2-342144-1\_N.3d\_igs.zip English

Customer View Model

ENG\_CVM\_CVM\_2-342144-1\_N.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English