TE Internal #: 2-696200-2

Wire Pin, 2.6 mm [.102 in] Pin Diameter, 12 – 10 AWG, 3 – 6 mm²

Wire, 5180 – 13100 CMA, Closed Barrel, Tin Plating, 28.5 mm [1.122


in] Length

View on TE.com >




Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules











Crimp Wire Terminal Type: Wire Pin

Mating Pin Diameter: 2.6 mm [.102 in]

Compatible Insulation Diameter Range: 6.4 mm, 3.81 – 6.35 mm [.251 in, .15 – .25 in]

Wire Size: 3-6 mm²

Features

Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire	
-----------------------------------	---------------	--

Body Features

Sleeve Material	Nylon
Primary Product Color	Yellow

Contact Features

Contact Fabrication	Stamped & Formed
Crimp Wire Terminal Type	Wire Pin
Mating Pin Diameter	2.6 mm[.102 in]
Barrel Type	Closed
Terminal Plating Material	Tin
Contact Shape & Form	Round



Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
DIN Wire Size	2.5 – 6 mm ²
Compatible Insulation Diameter Range	6.4 mm, 3.81 – 6.35 mm[.251 in][.15 – .25 in]
Wire Size	5180 – 13100 CMA
Terminal Material Thickness	.99 mm[.039 in]
Overall Product Length	28.5 mm[1.122 in]
Usage Conditions	
Insulation Option	Partially Insulated
Packaging Features	
Packaging Method	Tape Mounted

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Customers Also Bought























Documents

Product Drawings

PIDG 12-10 WIRE PIN, TAPE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-696200-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-696200-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-696200-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.