



Sensors > Pressure Sensors > Pressure Transducers > Compact Industrial Pressure Transducer



Pressure Sensor Type: **Industrial Pressure Transducer**

Pressure: **7 bar [100 psi]**

Pressure Type: **Gauge**

Supply Voltage Range: **5 V**

Output Signal Type: **.5 – 4.5 V**

[All Compact Industrial Pressure Transducer \(42\)](#)

Features

Product Type Features

Pressure Sensor Type	Industrial Pressure Transducer
Pressure Type	Gauge

Configuration Features

Electrical Connection	Packard A
-----------------------	-----------

Electrical Characteristics

Supply Voltage Range	5 V
----------------------	-----

Body Features

Port Material	17-4PH
---------------	--------

Dimensions

Product Height	58.42 mm[2.3 in]
Hex Width Across Flats	22.2 mm[.875 in]

Usage Conditions

Pressure	7 bar[100 psi]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Operation/Application

Output Signal Type	.5 – 4.5 V
--------------------	------------



Proof Pressure Range	2X Rated
Pressure Accuracy	±0.25% FSO

Other

Sensor Options	Adhesive Label, No Snubber
Port Fitting	1/4-18 NPT

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





Also in the Series

MEAS M3200

Industrial Pressure Transducers(42)

Pressure Transducers(42)

Customers Also Bought

TE Part #1-1879352-8
RR02 5% 1R6 AMMO

TE Part #1217861-1
250 FASTON,PCB TAB,TCBR

TE Part #284514-8
8 POS TERMI-BLOK HDR DIR. POL.

TE Part #275925-000
CWT-3806-W2

TE Part #8-1879354-7
RR03 5% 1K2 AMMO

TE Part #282959-4
TERMI-BLOK PLUG 4P. 7

TE Part #825437-8
MOD 2 PINHDR 1X08P.

TE Part #CB5012-000
BSTS-07X25

TE Part #3-1393483-8
V42254A1115B209=SUB D FEDERLEI

TE Part #2001140-03
PACKARD INTERFACE CONN/CBL 3'

Documents

- CAD Files
- 3D PDF
- 3D
- Customer View Model
- ENG_CVM_CVM_20006464-00_H.2d_dxf.zip
- English
- Customer View Model

M3234-000005-100PG

Industrial Pressure Transducer, Gauge, .5 – 4.5 V Output Signal, 2X Rated Proof
Pressure Range, MEAS M3200



[ENG_CVM_CVM_20006464-00_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_20006464-00_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[M3200 Pressure Transducer](#)

English